			WELL RECORD	Form WWC-8			 	-82 Cop	
OCATION OF WA		Fraction			tion Number			Range Nu	
unty: Johns		NW 1/4	SW ¼ SE ress of well if located	1/4	19	J T 12	S	R 22	E/ W
			ess of well it located	within City:					
	north of Des		1.1						
WATER WELL OV		ower Army Am	munition Pla	nt		Doord of Am	minus de ma	sion of Mistour	
#, St. Address, Bo						^		sion of Water	Hesourc
, State, ZIP Code						Application I		***************************************	
N "X" IN SECTIO						/ATION:			
TYPE OF BLANK 1 Steel 2 PVC nk casing diametersing height above 1 Steel 2 Brass	CASING USED: 3 RMP (SR) 4 ABS 1 Land surface	WELL'S STATIC W Pump to Pump t	ATER LEVEL est data: Well water gpm: Well water r. 4in. to BE USED AS: 3 Feedlot 4 Industrial cteriological sample s 2/8/82 Wrought iron Asbestos-Cement Fiberglass, weight	22 ft. b was	elow land s ft ft. er supply ter supply garden only epartment? V ete tile (specify bel	9 Dewatering Observation well YesxNo /ater Well Disinfected CASING JOIN ow)ft., Dia s./ft. Wall thickness or 10 Asbes 11 Other 12 None	hours pump hours pumpin. to 11 Inje 12 Oth; If yes, mo ? Yes X TS: Glued Threadein. gauge No. stos-cement (specify)used (open	ing	82 gpr
EEN OR PERFC	RATION OPENING	S ARE:	5 Gauze	d wrapped		8 Saw cut	11	None (open	hole)
1 Continuous si	ot 3 Mill	slot	6 Wire v	vrapped		Drilled holes			
2 Louvered shu	tter 4 Key	y punched	7 Torch	cut		10 Other (specify)			
					IL., FI	om			
GROUT MATERIA ut Intervals: Fro	•	From <u>1</u> From <u>1</u> ement 2	O ft. to ft. to Cement grout ft., From	3 Bento	ft., Fr	rom 4 Otherft., From	ft. to		f
GROUT MATERIA ut Intervals: Fro ut is the nearest s	L: 1 Neat ce	From 2 ement 2 et. to 10	O ft. to ft. to Cement grout ft., From	3 Bento	ft., Fronite to 10 Live	om	ft. to ft. to ft. to	ft. to	f
ROUT MATERIA	L: 1 Neat ce om	From 2 ment 2 t. to 10 contamination:	O ft. to ft. to	3 Bento	ft., Fronite to 10 Live	rom	ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	ft. to	f well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat ce om	From 2 From The sement 2 The sement 3 The se	O ft. to ft. to ft. to ft. to	3 Bento	ft., Fronite to	rom	ft. to	ft. todoned water rell/Gas well r (specify bek	well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat ce om	From 2 From The sement 2 The sement 3 The se	O ft. to ft. to	3 Bento	11 Fue 12 Fer 13 Inse	om	ft. to	ft. to	well
ROUT MATERIA it Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well?	L: 1 Neat ce om	From 2 fr	O ft. to	3 Bento	11 Fue 12 Fer 13 Inse	om	ft. to	ft. to	well
ROUT MATERIA It Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	L: 1 Neat ce om	From 1 From 1 From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	tt., Fronte to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severion from well? OM TO 0.0 11.0	L: 1 Neat ce om	From	O ft. to	3 Bento ft.	tt., Fronte to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 .0 28.0	L: 1 Neat ce om	From	O ft. to	3 Bento ft.	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
arround MATERIA at Intervals: Fro tis the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severition from well? OM TO 11.0 28.0 3.0 30.0	L: 1 Neat ce om	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to	3 Bento ft.	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
GROUT MATERIA at Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0	L: 1 Neat ce om 0	From 1 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
GROUT MATERIA at Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? IOM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G i.e. sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
FROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0	L: 1 Neat ce om 0	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA It Intervals: Fro It is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sextion from well? OM TO 10.0 11.0 0.0 28.0 0.0 30.0 0.0 40.0 0.0 45.5 0.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA t Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sextion from well? DM TO 1.0 11.0 28.0 3.0 30.0 40.0 40.0 45.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA It Intervals: Fro It is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sextion from well? OM TO 10.0 11.0 0.0 28.0 0.0 30.0 0.0 40.0 0.0 45.5 0.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 0.0 28.0 0.0 40.0 0.0 45.5 6.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5 6.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
FROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	ff well ow)
FROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
GROUT MATERIA at Intervals: Fro ti is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 3.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0	L: 1 Neat ce om	From 1 From 1 From 1 From 1 From 2 In to 10 From 10 Fro	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand m medium to sand nd, w/coarse	3 Bento	tt., Finter to	om	ft. to ft. to 14 Abar 15 Oil w 16 Othe Kans	ft. to	well
GROUT MATERIA Let Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0.0 11.0 1.0 28.0 8.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0 8.0 Total	L: 1 Neat ce om	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G Re sand m medium to sand and, w/coarse	3 Bento ft.	tt., Fi ft., Fi ft., Fi ft., Fi ft., Fi 10 Live 11 Fue 12 Fer 13 Inse How m TO	om	14 Abar 15 Oil w 16 Othe Kans	ft. to	well (a)
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severed in the section from well? ROM TO 1.0 28.0 8.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0 ROM TO CONTRACTOR'S	L: 1 Neat ce om	From 2 From 2 From 2 The to 10 10 10 10 10 10 10 10 10 10 10 10 10	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G ie sand in medium to sand ind, w/coarse	3 Bento TROM FROM poarse s sand	tt., Fi ft., F	om	14 Abar 15 Oil w 16 Othe Kans	ft. to	ff well ow)
GROUT MATERIA aut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0.0 11.0 1.0 28.0 8.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0 8.0 Total	L: 1 Neat ce om	From	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G te sand m medium to and, w/coarse I: This water well wa	3 Bento ft. 3 Bento ft. on FROM coarse s sand	tt., Finter to	om	14 Abar 15 Oil w 16 Othe Kans	ft. to	well ow) n and wa ef. Kansa
GROUT MATERIA at Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? BOM TO 1.0 28.0 1.0 28.0 1.0 28.0 1.0 40.0 1.0 45.5 1.0 45.5 1.0 Total CONTRACTOR'S pleted on (mo/day ar Well Contractor	L: 1 Neat ce om 0 fr ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepar Brown silty Brown fine Gray sand w Gray fine t Gray medium Gray shaley Depth OR LANDOWNER's r/year) 2/r/s License No	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G Re sand m medium to sand md, w/coarse	3 Bento ft. 3 Bento ft. 5 ft. 6 parse s 5 and 6 parse s 6 parse s	tt., Finter to	constructed, or (3) pluctord is true to the best	14 Abar 15 Oil w 16 Othe Kans ITHOLOGIC	ft. to	well ow) n and wa ef. Kansa
GROUT MATERIA at Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0.0 11.0 1.0 28.0 30.0 30.0 0.0 40.0 0.0 45.5 5.5 48.0 3.0 Total	L: 1 Neat ce om 0 fr ource of possible c 4 Lateral 5 Cess p wer lines 6 Seepar Brown silty Brown fine Gray sand w Gray fine t Gray medium Gray shaley Depth OR LANDOWNER's r/year) 2/r/s License No	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G Re sand m medium to sand md, w/coarse	3 Bento ft. 3 Bento ft. 5 ft. 6 parse s 5 and 6 parse s 6 parse s	tt., Finter to	om	14 Abar 15 Oil w 16 Othe Kans ITHOLOGIC	ft. to	well ow) n and wa