			Form WWC-5 KSA 82	a-1212		
LOCATION OF WATER WE County: Johnson	ELL Fraction	W CBC	Section Number	Township Nu	A I	lange Number
Distance and direction from no	earest town or city?	EN 2 WEST	Street address of well	•		any"
1)65070	F68 :	•		0	3 (1/1 2)	.4.48 / .
WATER WELL OWNER:	DESOTO KS	66018		Board of A		200 /rs Dewater Resource
DEPTH OF COMPLETED	119	# Dans Hala Diameter /	A" :- 1- 2 3	Application	Number:	118
			8 Air conditioning			· · · • • • • • • • • • • • • • • • • •
Well Water to be used as:	5 Public wa	vater supply	9 Dewatering	•	ection well ner (Specify below	d
X1 Domestic 3 Feedlot		d garden only	10 Observation well	12 011	ier (Specify below	")
2 Irrigation 4 Industrial Well's static water level .	ft helou	i jand surface measured on		nonth 4	day	7 6 veal
Pump Test Data		as 17 ft. after .				
Est. Yield 96				hours pumping		gpm
4 TYPE OF BLANK CASING	S USED:	5 Wrought iron	8 Concrete tile	Casing Jo	ints: Glued 🛪 .	Clamped
	RMP (SR)	6 Asbestos-Cement	9 Other (specify belo	ow)	Welded	· · · · · · · · · · · · · · · · · · ·
2 PVC 4	ARS	7 Fiberglass			Threaded	
Blank casing dia5	in. to	ft., Dia 5 .	in. to #.4.8	ft., Dia	in. to	
Casing height above land sur	face /.入	in., weight		s./ft. Wall thickness	or gauge No 🔑	00
TYPE OF SCREEN OR PERI	FORATION MATERIA	L:	7 PVC	10 Asbe	estos-cement	
1 Steel 3	Stainless steel	5 Fiberglass		11 Othe	r (specify)	
2 Brass 4	Galvanized steel	6 Concrete tile	9 ABS	12 None	e used (open hole	e)
Screen or Perforation Opening	gs Are:	5 Gauze	ed wrapped		11 No	one (open hole)
1 Continuous slot	X3 Mill slot	6 Wire v	vrapped	Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch		10 Other (specify)		
Screen-Perforation Dia 🎝		ft., Dia		ft., Dia	in to	0
Screen-Perforated Intervals:	From 3.8	-			-	
	From					
Gravel Pack Intervals:	From		ft., From .	• • • • • • • • • • • • • • • • • • • •	ft. to	
	From	ft. to	ft., From . ft., From		ft. to ft. to	
5 GROUT MATERIAL:	From. From Neat cement	ft. to	ft., From 3 Bentonite	Other	ft. to	
5 GROUT MATERIAL: Grouted Intervals: From C	From. From Neat cement tt. to	ft. to ft. to Cement grout ft., From	ft., From . ft., From . 3 Bentonite ft. to	Other ft., From .	ft. to	to
5 GROUT MATERIAL: Grouted Intervals: From C What is the nearest source of	From. From Neat cement f possible contamination	ft. to ft. to 2 Cernent grout ft., From ft., From	3 Bentonite 4	Other ft., From .	ft. to	toed water well
GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank	From 1 Neat cement 1 of to	ft. to ft. to 2 Cement grout ft., From ft., From 7 Sewage lago	10 Fue	Other ft., From . I storage	ft. to	to ad water well 3
GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank 2 Sewer lines	From 1 Neat cement 1 ft. to 1 possible contamination 4 Cess pool 5 Seepage pit	ft. to ft. to 2 Cement grout ft., From ft., From 7 Sewage lago 8 Feed yard	10 Fue to 12 Insert	t Other	ft. to	to
GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	From 1 Neat cement 1 possible contaminate 4 Cess pool 5 Seepage pit 6 Pit privy	ft. to ft. to Cement grout ft., From Sewage lago Feed yard Livestock pe	11 Fern 12 Inserts 13 Wat	t Other	ft. to ft. to ft. to ft. to ft. to ft. to ft. or ft. or	to
GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.	From 1 Neat cement 1 ft. to 1 possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy	ft. to ft. to 2 Cement grout Concern ft., From ft., Fr	ft., From	t Other	ft. to ft. to ft. ft. ft. ft. ft. ft. ft. f	to
5 GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.	From 1 Neat cement 1 ft. to 1 possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to	ft. to ft. to 2 Cement grout Con: 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet	ft., From ft., From ft., From ft., From 3 Bentonite ft. to 10 Fue foon 11 Fert 12 Insens 13 Water 12 Water 12 Water 13 Water 14 Water 15 W	t Other ft., From I storage illizer storage ecticide storage ertight sewer lines or Well Disinfected?	ft. to ft. to ft. ft. ft. ft. ft. ft. ft. f	to
GROUT MATERIAL: Grouted Intervals: From C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well . CAS: Was a chemical/bacteriological was submitted	From 1 Neat cement 1 to ft to ft possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to month	ft. to ft. to 2 Cement grout ft., From ft., Fr	## 15 ## 15	t Other	ft. to ft. to ft. #4 Abandon 15 Oil well/C 16 Other (sp	to
GROUT MATERIAL: Grouted Intervals: From. C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. CAS: Was a chemical/bacteriological was submitted	From 1 Neat cement 1 to to f possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to month 1 name	ft. to ft. to 2 Cement grout ft., From 7 Sewage lage 8 Feed yard 9 Livestock pe How many feet	## 15 ## 15	ft., From I storage ilizer storage ecticide storage ertight sewer lines er Well Disinfected?	ft. to ft. to ft. #4 Abandon 15 Oil well/C 16 Other (sp	to
GROUT MATERIAL: Grouted Intervals: From . C What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well . C Was a chemical/bacteriological was submitted	From 1 Neat cement 1 to ft to ft possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 al sample submitted to month 1 mame	ft. to ft. to 2 Cement grout ft., From ft., Fr	st., From ft., From ft., From ft., From ft., From 3 Bentonite st. 10 Fue on 11 Fert 12 Insens 13 Water 13 Water 14 Water 15 Water 15 Water 16 Water 16 Water 17 AVAL Pumps Capacity rated at the following fill for the fill for t	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X IMPLEMP 3	ft. to ft. to ft. to ft. to ft. to ft. ye4 Abandon 15 Oil well/0 16 Other (sp. Yes. X	to ed water well Gas well pecify below) No If yes, date sample Volts 2.3.9.
GROUT MATERIAL: Grouted Intervals: From. Comparison of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well CAS: Was a chemical/bacteriological was submitted	From 1 Neat cement 1 to ft to ft possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to month 1 Submersible	ft. to ft. to 2 Cement grout Control 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet	ft., From ft., From ft., From ft., From ft., From ft., From ft. to ft. ft. to ft.	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X interpretable of Recognition	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 230 Volts 230 GAM. gal./mir
GROUT MATERIAL: Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake	From 1 Neat cement 1 to footsible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to month 1 Submersible 1 Submersible	ft. to 2 Cement grout 2 Cement grout 3 Composition ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet ft. Department? Yes day ft. 2 Turbine CATION: This water well well well with the composition ft.	ft., From ft., From 3 Bentonite 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Year: Pump Instal Model No ATT AVAL Pumps Capacity rated a 3 Jet 4 Cer as (1) constructed, (2) re	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X interpretable of Recognition	ft. to ft	to ed water well Gas well becify below) No If yes, date sample Volts 2 3 0 CPM gal./mir 6 Other jurisdiction and wa
GROUT MATERIAL: Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. PAS: Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake	From 1 Neat cement 1 to to f possible contamination of the contaminati	ft. to 2 Cement grout 2 Cement grout 3 Cement grout 4 From 7 Sewage lage 8 Feed yard 9 Livestock pe How many feet Department? Yes day ft. 2 Turbine CATION: This water well well well month	ft., From ft., From 3 Bentonite 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Year: Pump Instal Model No 17 AVAL Pumps Capacity rated a 3 Jet 4 Cer as (1) constructed, (2) re day	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines ir Well Disinfected? No. X. led? Yes. X. interest April 1988 inter	ft. to ft. to ft. #4 Abandon 15 Oil well/C 16 Other (sp Yes	to ed water well Gas well becify below) No If yes, date sample Volts 2 3 0 CPM gal./mir 6 Other jurisdiction and wa
GROUT MATERIAL: Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. PAS: Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake 3 Type of pump: CONTRACTOR'S OR LAN completed on TUME and this record is true to the	From 1 Neat cement 1 to to f possible contamination of the contaminati	ft. to 2 Cement grout 2 Cement grout 3 Cement grout 4 Cement grout 5 Sewage lage 8 Feed yard 9 Livestock pe How many feet Department? Yes day ft. 2 Turbine CATION: This water well well and belief. Kansas Water V	ft., From ft., From 3 Bentonite 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Contractor's License	t Other ft., From I storage illizer storage ecticide storage ertight sewer lines ir Well Disinfected? No. X led? Yes. X interest HP 3 interest	ft. to ft. to ft. to ft. #4 Abandon 15 Oil well/0 16 Other (sp Yes	to ed water well Gas well becify below) No If yes, date sample Volts 2.3.9. 6 Other jurisdiction and wayes
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Authority Authori	From 1 Neat cement 1 to to f possible contamination of Seepage pit 6 Pit privy 1 sample submitted to month of the submersible NDOWNER'S CERTIFICATION of the submitted of the submitted of the submersible NDOWNER'S CERTIFICATION of the submitted on the submitted on the submitted of the submitt	ft. to 2 Cement grout 2 Cement grout 3 C. ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet Department? Yes	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat Wate Year: Pump Instal Model No 17 AVAL Pumps Capacity rated a 3 Jet 4 Cer as (1) constructed, (2) re day Vell Contractor's License nonth. 2 6	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines ir Well Disinfected? No. X. led? Yes. X. interest April 1988 inter	ft. to ft. to ft. to ft. #4 Abandon 15 Oil well/0 16 Other (sp Yes	to ed water well Gas well becify below) No If yes, date sample Volts 2.3.9. 6 Other jurisdiction and wayea
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on and this record is true to the This Water Well Record was name of	From 1 Neat cement 1 to fe possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sal sample submitted to month name	ft. to 2 Cement grout 2 O ft., From 7 Sewage lage 8 Feed yard 9 Livestock pe How many feet day Department? Yes day ft. 2 Turbine CATION: This water well way and belief. Kansas Water V	ft., From ft., From ft., From 3 Bentonite ft. to 10 Fue bon 11 Fen 12 Inse 13 Wat 14 Wate 15 Year: Pump Instal 16 Model No 17 AVAL 17 Pumps Capacity rated at 18 Jet 19 Jet 19 Constructed 19 Jet 19 J	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well becify below) No If yes, date sample Volts 2.3.9. GAM. gal./mir 6 Other jurisdiction and wa
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type and this record is true to the This Water Well Record was name of Type Millian TOCATE WELL'S LOCATE WITH AN "X" IN SECTION	From 1 Neat cement 1 to fe possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 submersible NDOWNER'S CERTIFIE best of my knowledge completed on Julian Bros Dailling ION FROM TO	ft. to ft. to 2 Cement grout Control 7 Sewage lage 8 Feed yard 9 Livestock pe How many feet	ft., From ft., From ft., From 3 Bentonite ft. to 10 Fue bon 11 Fen 12 Inse 13 Wat 14 Wate 15 Year: Pump Instal 16 Model No 17 AVAL 17 Pumps Capacity rated at 18 Jet 19 Jet 19 Constructed 19 Jet 19 J	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 0 GAM gal./mir 6 Other jurisdiction and wa yea r under the busines
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted if Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type and this record is true to the This Water Well Record was name of Type Millian Type	From 1 Neat cement 1 to foot to foot possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy 1 sample submitted to month name TAC 422 1 Submersible NDOWNER'S CERTIFIE best of my knowledge completed on TAC 1 Submersible NDOWNER'S CERTIFIE The complete on TAC The comp	ft. to 2 Cement grout 3 Control ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet	ft., From ft., From 3 Bentonite 10 Fue 11 Fer 12 Inse 13 Wat 2 Wate 14 Cer 3 Jet 4 Cer 15 Jet 16 Jet 17 Jet 18 Jet 19 Jet 10 Jet 10 Jet 10 Jet 11 Fer 12 Inse 13 Wat 14 Cer 15 Jet 16 Jet 17 Jet 18 Jet 18 Jet 19 Jet 19 Jet 19 Jet 10	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2.3.0. GAM. gal./mir 6 Other jurisdiction and wa yea r under the busines
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type and this record is true to the This Water Well Record was name of Type Millian TOCATE WELL'S LOCATE WITH AN "X" IN SECTION	From 1 Neat cement 1 to f possible contamination of Pit privy The sample submitted to month of possible contamination of Pit privy 1 Submersible of Management of Mana	ft. to 2 Cement grout 3 Control ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet	ft., From ft., From 3 Bentonite 10 Fue 11 Fer 12 Inse 13 Wat 2 Wate 14 Cer 3 Jet 4 Cer 15 Jet 16 Jet 17 Jet 18 Jet 19 Jet 10 Jet 10 Jet 10 Jet 11 Fer 12 Inse 13 Wat 14 Cer 15 Jet 16 Jet 17 Jet 18 Jet 18 Jet 19 Jet 19 Jet 19 Jet 10	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2.3.0. GAM. gal./mir 6 Other jurisdiction and wa yea r under the busines
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on and this record is true to the This Water Well Record was name of Type Manufacturer's LOCATE WELL'S LOCATE WITH AN "X" IN SECTION	From 1 Neat cement 1 to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED NON FROM TO ON	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water was and belief. Kansas Water V LITHOLOG SOIL SANDY CLA	ft., From ft., From 3 Bentonite 10 Fue 11 Fer 12 Inse 13 Wat 2 Wate 14 Cer 3 Jet 4 Cer 15 Jet 16 Jet 17 Jet 18 Jet 19 Jet 10 Jet 10 Jet 10 Jet 11 Fer 12 Inse 13 Wat 14 Cer 15 Jet 16 Jet 17 Jet 18 Jet 18 Jet 19 Jet 19 Jet 19 Jet 10	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 0 CPM gal./mit 6 Other jurisdiction and wa
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on and this record is true to the This Water Well Record was name of Type Manufacturer's LOCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Cen 15 Jet 16 Jet 17 Jet 18 Jet 19	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 9. CPM. gal./mit 6 Other jurisdiction and water well year r under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: A CONTRACTOR'S OR LAN completed on This Water Well Record was name of TOCATE WELL'S LOCATI WITH AN "X" IN SECTION BOX:	From 1 Neat cement 1 to to f possible contamination of Pit privy The sepage pit for the privy 1 Submersible NDOWNER'S CERTIFICATION FROM TO	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sampl Volts 2 3 9. CPM. gal./mi 6 Other jurisdiction and water sample year under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: And this record is true to the This Water Well Record was name of COCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sampl Volts 2.3.9. CPM. gal./mi 6 Other jurisdiction and water ye r under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: A CONTRACTOR'S OR LAN completed on Type and this record is true to the This Water Well Record was name of TOCATE WELL'S LOCATI WITH AN "X" IN SECTIO	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sampl Volts 2.3.9. CPM. gal./mi 6 Other jurisdiction and water ye r under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: CONTRACTOR'S OR LAN COMPLETE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 9. CPM. gal./mit 6 Other jurisdiction and water well year r under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: A completed on Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: Type of	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 9. CPM. gal./mit 6 Other jurisdiction and water well year r under the busine
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's I Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on Type of pump: A CONTRACTOR'S OR LAN completed on Type of pump: A CO	From 1 Neat cement 1 to to f possible contamination of Pit privy 7 Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DOWNER'S DATES 1 Submersible NDOWNER'S CERTIFIED ON TO DATES 1	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well water with the same of the	ft., From ft., From 3 Bentonite ft. to 10 Fue 11 Fen 12 Inse 13 Wat 2 Wate 14 Vell Pumps Capacity rated a 3 Jet 4 Cer day Vell Contractor's License nonth by (signature) FRO FRO The pump of th	tother ft., From I storage ilizer storage ecticide storage ertight sewer lines or Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p	ft. to ft	to ed water well Gas well pecify below) No If yes, date sample Volts 2 3 0 GAM gal./mir 6 Other jurisdiction and wa yea r under the busines
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on And this record is true to the This Water Well Record was name of CONTRACTOR'S IN SECTION BOX: SW SE SE SE SE SW - SW	From 1 Neat cement 1 to to f possible contamination of Seepage pit 6 Pit privy 1 Submersible NDOWNER'S CERTIFIED ON FROM TO	ft. to 2 Cement grout 3 O ft., From 7 Sewage lago 8 Feed yard 9 Livestock pe How many feet O Department? Yes day ft. 2 Turbine CATION: This water well well well and belief. Kansas Water V ABOUTH SANDY CLAFINE SAND MEDIUM 3 CONNEE SAND CONNEE SAND CONNEE SAND	ft., From ft., From 3 Bentonite ft. to 10 Fue 12 Inse 13 Wat 2 Wate 14 Cer 15 Inse 16 Inse 17 AVAL 18 Pumps Capacity rated at 2 Jet	t Other ft., From I storage ilizer storage ecticide storage ertight sewer lines ir Well Disinfected? No. X led? Yes. X intrifugal 5 Ri constructed, or (3) p No. 1 9 day OM OM OM OM OM OM OM OM OM O	ft. to ft	to ad water well Gas well Decify below) No If yes, date sample Volts 2.3 c Gother jurisdiction and water r under the busine