USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

	NW					Topeka, Kansas 66620	
	County			Section number		Township number Range number	
. Location of well:	Leavenworth SE 1/4 SW 1/4 SE 1.		E 1/4			T 12 s	R 22 (E)W
	ction from nearest town or city: $2\frac{1}{2}$ miles Linwood		3. Own	ner of well street: tate, zip o	I. F	Mr. Lloyd Freema Route 1 Box 15 Linwood, Kangas	52
4. Locate with "X" in N		Sketch map:				Well depth	Driven Dug Bored Reverse rotary ublic supply Industry uir conditioning Stock pil field water Other Hergin: Above or below
S 1 → 1 M	ile —					RMP PVC Dia.	/ Weightlbs./ft.
5. Type and color of				From	То	Dia i M L Cfr. dep 10. Screen: Manufacturer's	oth gage No. //77// • 2
Sandsto	ne			0	31	Туре	Dia
Lime				31	34	Slot/gauze	_ft , and ft .
Shale				34	43	Gravel pack? <u>NONE</u> Size ro	andft.
Lime				43	47	11. Static water level:26ft. below land su	mo./day/yr. rface Date <u>2-21-77</u>
Shale				47	55	12. Pumping level below lan	
Lime				55	70	ft. after	
	***************************************					13. Water sample submitted: Yes No	mo./day/yr. Date
						14. Well head completion:	18 Inches above grade
						15. Well grouted? Yes With: X Neat cement Depth: From 3 ft. to	Bentonite Concrete
······		MISTORIA 18 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				16. Nearest source of possible ft. 2001 Direction	south Typeseptic
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Model number 554B	Not installed acuzzi HP_1/2 Volts_220
						Length of drop pipe Type: X Submersible	ft. capacity 10g.p.m.
	(Use a second s	heet if needed)				Jet Centrifugal	Reciprocating Other
18. Elevation: 930 Topography: Hill Slope Upland Valley	19. Remarks: 20 gallon per hour before shot. 400 gallon storage. 8 gallons per minute after shot.					20. Water well contractor's	certification: ny jurisdiction and this report whedge and belief. 174 sehor, Ks. 60007

BR ele 730 = 904