8078 WATE I	Site R WELL	TH 9-06 OW-1-S RECORD Form WWC-5 Division of Water Resources; App. No.	
1		FWATER WELL: Fraction Section Number Township Number Range Number	
	_{ty:} Johns		
withir	ice and dire	ction from nearest town or city street address of well if located proximately 1 mile north and 1 mile west of DeSoto Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 38.996749	
	,	Longitude: -95.002263	
2 WAT	ER WEL	L OWNER: City of Olathe Elevation: unknown	
City	St. Addre, State ZIP	ss, Box # : P.O. Box 768 Code : Olathe, KS 66051 Datum: NAD 27 Data Collection Method: WAAS GPS Unit	
		But Concensus Method. Wite St. Com.	
	ATE WEI ATION		
	ATION H AN ''X''	IN Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft, WELL'S STATIC WATER LEVEL 28.44 ft. below land surface measured on mo/day/yr 2-20-06	
SEC	TION BOX	WELL'S STATIC WATER LEVEL 28.44 ft. below land surface measured on mo/day/yr 2-20-06	
	N	Pump test data: Well water was not checked ft. after hours pumping gpm Est. Yield unknown gpm: Well water was ft. after hours pumping gpm	
	VNE		
w NV	V NE	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Observation Well	
SW	/SE	Was a chemical/bacteriological sample submitted to Department? Yes No . If yes, mo/day/yrs	
	S	Sample was submitted Water well disinfected? Yes No	
5 TYP	E OF CAS	SING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped	
		RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded ABS 7 Fiberglass Threaded Threaded	
Blank ca	ising diame	eter 2 in. to 48 ft., Diameter in. to ft., Diameter in. to ft.	
Casing height above land surface 24 in., weight .70 lbs./ft. Wall thickness or gauge No. .154			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)			
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)			
SCREE	SCREEN OR PERFORATION OPENINGS ARE:		
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)			
2	Louvered	shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)	
SCREE	N-PERFOI	RATED INTERVALS: From 48 ft. to 58 ft., From ft. to ft.	
	GRAVEI	PACK INTERVALS: From 20 ft to 60 ft From ft to ft	
	Orar v DD	ATED INTERVALS: From 48 ft. to 58 ft., From ft. to ft. From ft. to ft., From ft. to ft. PACK INTERVALS: From 20 ft. to 60 ft., From ft. to ft. From ft. to ft., From ft. to ft.	
6 GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug			
1	ntervals:	From ft. to ft., From ft. to ft., From 0 ft. to 20 ft.	
		ource of possible contamination:	
1 Septi		4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)	
i –	ertight sewer	None known	
Direction	n from wel	1? How many feet?	
FROM	ТО	LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
4	11	Topsoil Clay dark brown	
11	22	Clay, dark brown Sand, very fine to fine	
22	33	Sand, coarse to fine with gravel, fine	
33	53	Sand and gravel, coarse to fine wtih large	
		rock streaks 49' to 53'	
53	60	Limestone, gray and white	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged			
under my jurisdiction and was completed on (mo/day/year) 2-20-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 2-28-06			
Under the business name of Clarke Well & Equipment, Inc. by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three			
copies to I	Kansas Depar	tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.	