110 8554 WATER WELL RE	TW12-OB1N CORD	Form WWC-5	5	Division o	f Water	Resources; App. No.	
1 LOCATION OF WATER WELL:  County: Leavenworth		Fraction 1/4 CN 1/4 S	W 1/4	Section Nu 21	mber	Township Number T 12 S	Range Number R 22 (E) W
Distance and direction from nearest town or city street address of well if located within city? Approximately 3/4 mile north and 3/4 mile west of DeSoto			Global Positioning Systems (decimal degrees, min. of 4 digits)  Latitude: 38.992664  Longitude: -94.978733				
2 WATER WELL OWNER: City of Olathe RR#, St. Address, Box # : P.O. Box 768 City, State, ZIP Code : Olathe, KS 66051-0768				Elevation: Unknown Datum: NAD83 Data Collection Method: WAAS GPS Unit			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N NWNE WSWSE S	LL'S  IN  WELL'S STATIC WATER LEVEL Not checked ft. below land surface measured on mo/day/yr  Pump test data: Well water was Not checked ft. after hours pumping gpm  Est. Yield Unknown gpm: Well water was ft after hours pumping gpm  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Observation						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded ✓  Blank casing diameter 2 in. to 58 ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 24 in., weight 70 lbs./ft. Wall thickness or gauge No154  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)  2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)  2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)  SCREEN-PERFORATED INTERVALS: From 58 ft. to 68 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 50 ft. to 74 ft., From ft. to ft.  From ft. to ft., From ft. to ft.							
Grout Intervals: From ft. to ft., From							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well 14 Oile Known  Direction from well? How many feet?							
FROM TO 0 6 Tor	LITHOLOGIC LO	G	FROM	ТО		PLUGGING INTE	RVALS
	osoil y, tan, silty, soft						
27 54 Sar	nd and gravel, medium						
54 70 Sar	nd and gravel, coarse t	o fine, with large					
	nestone			<del>  -</del>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-13-06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 11-21-06  Under the business name of Clarke Well & Equipment, Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.							