106 8554 TW18-OB1E WATER WELL RECORD	Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: County: Leavenworth	Fraction SE 1/4 NE 1/4 NE 1/4	Section Number Township Number Range Number R 22 E W
Distance and direction from nearest town or city s within city? Approximately 1/4 mile north of	treet address of well if located	Global Positioning Systems (decimal degrees, min. of 4 digits)
within city? Approximately 174 mile north	Di Desolo	Latitude: 38.983372 Longitude: -94.965002
2 WATER WELL OWNER: City of Olathe		Elevation: Unknown
RR#, St. Address, Box # : P.O. Box 768 City, State, ZIP Code : Olathe, KS 6	COE1 0769	Datum: NAD83
		Data Collection Method: WAAS GPS Unit
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 60 ft.		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft, WELL'S STATIC WATER LEVEL Not checked ft. below land surface measured on mo/day/yr		
SECTION BOX: N Pump test data: Well water was Not checked ft. after hours pumping gpm		
Est. Yield Unknown gpm: Well water was ft. after hours pumping gpm		
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		
		Department? Yes No V If yes, mo/day/yrs
Sample was submitted Water well disinfected? Yes No No Output Out		
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		
② PVC 4 ABS 7 Fiberglass Threaded ✓ Blank casing diameter 2 in. to 48 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., weight .70 lbs./ft. Wall thickness or gauge No. .154		
Casing height above land surface 24 in., weight .70 lbs./ft. Wall thickness or gauge No154		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)		
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)		
From ft. to ft., From ft. to ft.		
SCREEN-PERFORATED INTERVALS: From 48 ft. to 58 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 43 ft. to 62 ft., From ft. to ft. From ft. to ft., From ft. to ft.		
6 GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug		
Grout Intervals: From ft. to ft., From ft. to ft., From 0 ft. to 43 ft. What is the nearest source of possible contamination:		
What is the nearest source of possible contamination Septic tank 4 Lateral lines 7	Pit privy 10 Livesto	ock pens 13 Insecticide Storage (16) Other (specify
L P	Sewage lagoon 11 Fuel st	orage 14 Abandoned water well below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well None known		
Direction from well? FROM TO LITHOLOGIC L		
0 6 Topsoil	TROW	1 DOGGING INTERVALO
6 19 Clay, tan, soft, silty		
19 37 Sand, coarse and mediu		
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse		
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse	to fine, with clay	
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock	to fine, with clay to fine, with large	
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse	to fine, with clay to fine, with large	
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock	to fine, with clay to fine, with large	
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock 58 62 Shale, black, hard, with I	to fine, with clay to fine, with large imestone streaks	
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock	to fine, with clay to fine, with large imestone streaks ERTIFICATION:	r well was (1) constructed (2) reconstructed (3) plugged and this record is true to the best of my knowledge and belief.
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock 58 62 Shale, black, hard, with I	to fine, with clay to fine, with large imestone streaks ERTIFICATION: This water y/year) 11-07-06 a 185 This Water Well Rec	nd this record is true to the best of my knowledge and belief. cord was completed on (mo/day/year) 1/-20-06
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock 58 62 Shale, black, hard, with I 7 CONTRACTOR'S OR LANDOWNER'S Cl under my jurisdiction and was completed on (mo/day Kansas Water Well Contractor's License No. Under the business name of Clarke Well & Equip	to fine, with clay to fine, with large imestone streaks ERTIFICATION: This water y/year) 11-07-06 a 185 This Water Well Recomment, Inc. by	and this record is true to the best of my knowledge and belief. cord was completed on (mo/day/year) 17-20-06 (signature)
19 37 Sand, coarse and mediu 37 53 Sand and gravel, coarse streaks, gray 53 58 Sand and gravel, coarse rock 58 62 Shale, black, hard, with I 7 CONTRACTOR'S OR LANDOWNER'S Cl under my jurisdiction and was completed on (mo/day Kansas Water Well Contractor's License No. Under the business name of Clarke Well & Equip INSTRUCTIONS: Use typewriter or ball point pen. PLEAS	to fine, with clay to fine, with large imestone streaks ERTIFICATION: This water (y/year) 11-07-06 a 185 This Water Well Recomment, Inc. by (EPPRESS FIRMLY and PRINT clearly. Proceedings of Water, Geology Section, 100	nd this record is true to the best of my knowledge and belief. cord was completed on (mo/day/year) 11-20-06 (signature) (sig