			WAT	ER WELL RECORD	Form WWC-	5 KSA 82	a-1212		
Ь		ER WELL:	Fraction	ATT2		ction Number	1 12		Range Number
	EAVENWO		NE NE	1/4 NE 1/4 address of well if loc	NE 1/4	6	т 12	S	R 22 E/W
nstatice at	ia direction	nom nearest tow			•				
WATER	WELL OW	NER PONN	TE HALE	2 east of Li	iwood				
,	ddress, Box		7 - 182nd	st.			Board of A	ariculture. I	Division of Water Resources
		Linw					Application		- Train Trai
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL	140.'	ft. ELEV			
	N SECTION	X X X	WELL'S STAT	IC WATER LEVEL	.7.2.* ft. l	pelow land su	urface measured on	mo/day/yr	
									mping gpm
∦ w ⊢	1	E							to
• "	- SW	SE	1 Domesti		6 Oil field wa	ater supply		12	Injection well Other (Specify below)
	1	1	2 Irrigation						
L	1			al/bacteriological samp	ole submitted to E			_	mo/day/yr sample was sub
TVDE	S DI ANIK C	ASING USED:	mitted	C Manage Land	0.0		ater Well Disinfected		
1 Ste		ASING USED: 3 RMP (SI	D)	5 Wrought iron 6 Asbestos-Ceme	8 Conci				d X Clamped ed
2 PV		4 ABS	n)	7 Fiberglass	ent 9 Otner	(specify belo	·		ed
			in to 0-8	7 ribergiass N # Dia	5" in to	120-1	40 ft Dia	THE	in. to
									.258
	-			, weight	7 P\			estos-ceme	
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass									
2 Brass 4 Galvanized steel				6 Concrete tile	. ,			e used (op	
SCREEN OR PERFORATION OPENINGS ARE:					auzed wrapped			(op	11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire w							9 Drilled holes		(
2 Lou	vered shutt	er 4 K	ey punched		orch cut		10 Other (specify)	
SCREEN-F	ERFORATE	ED INTERVALS:	From	80 ft. to	120	ft., Fro	om	ft. t	o
									o
G	RAVEL PA	CK INTERVALS:	From	24 ft. to	1.40	ft., Fro	om	ft. t	o
.	***		From		<u> </u>				o ft.
,		: 1 Neat o							
		=		ft., From	ft.				ft. to
		ource of possible							bandoned water well
		4 Later			_			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage	-	12 Fertilizer storage		16 O	ther (specify below)
3 Watertight sewer lines 6 Seepage pit Direction from well? east				9 Feedyard	1	13 Insecticide storage How many feet? 220		 ያስ '	• • • • • • • • • • • • • • • • • • • •
FROM	TO TO	east	LITHOLOGI	CLOG	FROM	TO TO			NTERVALS
0	1	Top Soil		9 20 4	1				
1	2	Limestone	e-Yellow						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2	11	Shale-Yel							
11	63	Shale-Gre							
63	92		e-Brown						
92	108	Sandstone	e-Grey						
108	116	Limestone	e-Grey						11-W
116_	120								
120	_138	Limestone							
138	140	Shale-Gre	ey						
	.~								
				·		 			
CONTR	ACTOR'S	OR LANDOWNER	R'S CERTIFICA	TION: This water well	ll was (1) constru	icted, (2) rec	onstructed, or (3) p	ugged und	ler my jurisdiction and was
									owledge and belief. Kansas
realer Well	CONTRACTOR	SLICETSE NO	בסב דידים חיםות	This Wate	r vveii Hecord W				
HILLER LINE	Jubil Best light	THATE IN SILI	THITTI NEW TON	NG CO., INC.		by (signa	ature)	e ua	cren

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.