.1				R WELL RECORD	Form WWC-5				
_	ON OF WAT		Fraction	< C . C.	\ 1	tion Number		l l	Range Number
County:	Tohns	from pearant town	$\int \mathcal{E}_{\frac{1}{4}}$	SE 1/4 S(31	1 1 15	S L	R 23 (E)M
Distance a	ina direction					~ 1		V	
				West 70) st.		nawnee	Ks.	
2 WATER	R WELL OW			3				•	
RR#, St. A	Address, Box		-	12 St			Board of A	griculture, Divi	sion of Water Resou
	, ZIP Code	: Shawi	nec KS	6620			Application		
LOCATE	E WELL'S LO	CATION WITH	DEPTH OF C	OMPLETED WELLS	200	ft. ELEV	ATION: 4	200 W	e115
→ AN "X"	IN SECTION	JROX. H		water Encountered 1					
- r	1			WATER LEVEL					
† I	i								
-	- NW	NE _		test data: Well water					
1 1	1	ı Es	t. Yield .!VD	Negpm: Well water	erwas	ft.	after	. hours pump	ing g
w F	1	₽	re Hole Diame	eter <i>5 8</i> in. to		ft.,	and	in. to	·
₹ "	!!	I WE	ELL WATER T	O BE USED AS:	5 Public water	r supply	•	•	ection well
7	cu,		1 Domestic	3 Feedlot	6 Oil field wa			(2) Oth	ner (Specify below)
	- SW	SE	2 Irrigation	4 Industrial	7 Lawn and g	garden only	10 Monitoring wel	Closed La	op. Hent Yun
	ં પ્ર	i Wa	as a chemical/b	pacteriological sample					
1 -			tted	3			ater Well Disinfecte		No 🗶
5 TVDE C	DE BI ANK C	ASING USED:		5 Wrought iron	8 Concre				Clamped
ا Ste		3 RMP (SR)		•		(specify belo			Ciamped
		` '		6 Asbestos-Cement		` '	•		
2 PV		4 ABS		7 Fiberglass					d
Blank casii	ng diameter	in.	to	ft., Dia	in. to		ft., Dia	in.	to
Casing hei	ight above la	ind surface		.in., weight		lbs	s./ft. Wall thickness	or gauge No.	
TYPE OF	SCREEN O	R PERFORATION M	/ATERIAL:		7 PV	С	10 Ast	estos-cement	
1 Ste	eel	3 Stainless st	eel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)	
2 Bra	ass	4 Galvanized	steel	6 Concrete tile	9 AB	s	12 No.	ne used (open	hole)
SCREEN (OR PERFOR	RATION OPENINGS	ARF.	5 Gauz	ed wrapped		8 Saw cut		None (open hole)
	entinuous slo				wrapped		9 Drilled holes		· · · · · · · · · · · · · · · · · · ·
	uvered shutt			7 Torch	• •			۸	
			punched				• •	•	
SCHEEN-	PERFORATI	ED INTERVALS:		ft. to .					
				ft. to .					
G	GRAVEL PA	CK INTERVALS:	From	ft. to .		ft., Fr	om		
			From	ft. to		ft., Fr	om	ft. to	
	Γ MATERIAL			2 Cement grout	 ⑤ Bento				
Grout Inter	rvals: Froi	n 2.0.0 ft	to 🔘 .	ft., From	ft.	to	ft., From		ft. to
		urce of possible cor					estock pens		ndoned water well
1 Se	eptic tank	4 Lateral li	ines	7 Pit privy		11 Fue	l storage	15 Oil w	vell/Gas well
	wer lines	5 Cess po	ool	8 Sewage lag	ioon		tilizer storage		r (specify below)
		er lines 6 Seepage		9 Feedvard	,00		ecticide storage	.0 00	(opcon) solon)
	•	er intes o Seepage	s pit	9 reedyard			•		
Direction f FROM	_		LITHOLOGIC	100	FROM	·	any feet?	-UGGING INTI	EDVALC /
	TO	· · · · · · · · · · · · · · · · · · ·		LOG		ТО	1	1	- LOG L
0	15	- \	1 + Clay		180	182		ale	·· · · · · · ·
15	18		ple		182	184		restone	
18_	25	Limes			184	200	Sh	ale	
25	50	5kg	le		<u></u>				
50	55	Lime	stone		\sim			$\sim\sim$	$\sim\sim$
55	70	Sho							
70	90	¥ ,	store				Plugging	T. Locu	alc
90	78		ale				F 15/1/14	<u> Za jero</u>	
98	105				760	~	11 1 6.	ids Be	storite al
	I		stone		200	0	HAP 30	res De	MONTY AL
105	107	Sha	• -			<u> </u>		· · / · · · · · · · · · · · · · · · · ·	
107	126	Limes	-				4 h	ells Pl	uggerf :
120	125					ļ			
125	130	Limes	store						
130	175	Shal							
175	180		estone		Ţ	I	T		
1 ' '			_	ON: This water well w	.no (1) no	otad (0) ===	nonotructod - 🔊		may jugicalistic
			OERHPICAH こ らい						
	on (mo/day								edge and belief. Kan
l .		s License No 5				-	d on (mo/day/yr) .	0-6	11-97
under the	business na	me of EVASS	ENergy	Development,	Jerc.	by (sign	ature Caro L	1	
			. <u>PLEASE PRESS F</u>	FIRMLY and <u>PRINT</u> clearly. PI	ease fill in blanks,				ies to Kansas Department
							OWNER and retain one f		