11.55	<u> </u>			WELL RECORD	Form WWC-			- A1		N
	ON OF WAT		Fraction 5 W 1/4	ALILL AL	13	ction Number		p Number	Range I	2 ~
	TOHNS			1400 1/4 /4/	2 1/4		T	2 s	R 2	S (E)W
Distance a	and direction	from nearest town	or city street ad	dress of well if locate	d within city?					
				- 177						
2 WATER	R WELL OW			TYLANAFILL						
	Address, Box	(#: 1818	1 W. 53				Board	of Agriculture, [Division of Wat	ter Resources
City, State	, ZIP Code		AWNEE,	KS 66217	7		Applica	ation Number:		
LOCATI	E WELL'S LO			MPLETED WELL		# FIEVAT	TION:	766.73		
AN "X"	IN SECTION			vater Encountered 1						#
i i	- i I	: 1 1 ^w		WATER LEVEL 2.	-					
l -	- NW	X - NE		test data: Well water				-		I
	1	, E	st. Yield	gpm: Well water						
<u>.</u> l	i	I Bo	ore Hole Diamet	er	34,5		and	in.	to	
* w	1	i w	ELL WATER TO	D BE USED AS:	5 Public wat		8 Air conditio		Injection well	
- 1	1	1	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (Specify	/ below)
-	SW	SE	2 Irrigation	4 Industrial				well)4	_ ^ _	
	! !	: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-	acteriological sample		-			- •	
<u>ł</u> L				acteriological sample	submitted to t			,	١	'
1			itted				ter Well Disint		No No	
TYPE (OF BLANK C	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING	JOINTS: Glued		I
1 St	_	3 RMP (SR)		6 Asbestos-Cement	9 Other	r (specify below	/)	Weld	ed	
(2 P)		4 ABS		7_Fiberglass				Threa	ded)	
Blank casi	ing diameter		. to 1 . 9 . 1	۶ ft., Dia	in. t	0	ft., Dia		m. to	ft.
Casing he	ight above la	and surface	2.98 FT	weight			ft. Wall thickn	ess or gauge N	0	
		R PERFORATION I	,	, , , , , , , , , , , , , , , , , , , ,	(7 P	-		Asbestos-ceme		
1 St		3 Stainless s		5 Eiborgloss		MP (SR)		Other (specify)		
				5 Fiberglass						
2 Br		4 Galvanized		6 Concrete tile	9 A	85		None used (op	•	1 -1->
		RATION OPENINGS			ed wrapped		8 Saw cut		11 None (or	en noie)
1 Co	ontinuous slo	t (3 Mill :	slo	6 Wire	wrapped		9 Drilled ho			
2 Lo	uvered shut	er 4 Key	punched	7 Torch		_	10 Other (sp	ecify)		
SCREEN-	PERFORATI	ED INTERVALS:	From	19.5 ft. to.	34,5	ft., Fror	m <i></i>	ft. t	0	ft.
			From	ft. to .		ft., Fror	m	ft. t	o	
(GRAVEL PA	CK INTERVALS:	From	1.7.2 ft. to .	3.17	ft Fror	m <i></i>	ft. t	0	
		NATIVE SAMU		34.5 ft. to	317	_ ft., Fron		ft. t		ft.
6 GBOLL	T MATERIAL			2 Cement grout	3 Ben					
_				ft., From			•			
Grout Inte				It., From	IL.					
_		ource of possible co					tock pens		bandoned wat	l
1 Se	eptic tank	4 Lateral	lines	7 Pit privy		11 Fuel:	storage		il well/Gas we	
2 Sewer lines 5 Cess po				8 Sewage lagoon		12 Fertili	12 Fertilizer storage 16 Other (specify below)			pelow)
3 W	atertight sew	er lines 6 Seepag	e pit	9 Feedyard		13 Insec	ticide storage			
Direction 1	from well?					How mai	ny feet?			
FROM	ТО		LITHOLOGIC I	OG	FROM	ТО		PLUGGING I	NTERVALS	
0	27	SIIT.	BOWN, C	LAUPH						
27	345	CANIT	Snown, c Fine smo	ine !						
~ 1	13/1/	Janu, 1	1140 3200	774.4						
						1				
	+									
						-				
	ļ		2772							

	<u> </u>					1				
	 									
	-									
7 CONT	DACTORIC	OD I ANDOMNEDIC	CEDTIENCATI	ON: This water"	uno (1) canat	ruotod (0)	notrusted or	(3) physical in-	der my juriodi	ction and was
				ON: This water well v						
	on (mo/day		\sim 1 '					ne best of my kr	lowledge and	Dellet. Kansas
Water We	ell Contractor	's License No. 6		This Water \	Well Record v	vas completed	on (mo/da y/y i	D1/1-8/0	· · · · · · · · · · · · · · · · · · ·	
under the	business na	me of DF	>			by (signa	ture)	/		
				RMLY and PRINT clearly. P						Department
of Heal	Ith and Environn	nent, Bureau of Water, To	peka, Kansas 66620	0-0001. Telephone: 913-296-	-5545. Send one	to Water Well O	WNER and retain	one for your record	S.	