		Form W	WC-5	Division of Water Resources App. No.
	OF WATER WELL:	Fraction		Section Number Township No. Range Number
County: Johnson SE 1/4 SE 1/4 NW 1/4 1/4				
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here .				Latitude: .39,037678 (in decimal degrees) Longitude: -94.807913 (in decimal degrees)
				Elevation: 849
A WARREN WILL CHAND				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: Johnson County Landfill			Collection Method:	
RR#, Street Address, Box #: 18181 West 53rd Street City, State, ZIP Code : Shawnee KS 66217			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
City, State,	Shawne	e, KS 66217		Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m
3 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 68.5 ft.				
SECTION BO				
l ———	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr			
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm				
W Bore Hole Diameter 8 in. to .68.5 ft., and in. to				
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well				
SW SE Domestic				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well				
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted				
was submitted: Water well disinfected? Yes No				
5 TYPE OF CASING USED: Steel V PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .6				
Casing height above land surface36				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ✓ Other Benseal				
Grout Intervals: From .3				
What is the nearest source of possible contamination:				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Landfill				
Direction fro	m well South East	****		from well
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 ft 3 ft	Clay Fill			·
3 ft 12 ft 12 ft 47 ft	Lime stone/Shale Fill			
12 ft 47 ft 47 ft 54 ft	Clay/Shale Fill Weathered Shale			
54 ft 65 ft	Lime Stone		 	
65 ft 68.5	Shale			
		7000		
		19/3/		
- CO.	CODIC OR LAND CONT.	NO CERMINE		"
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .10/15/2009 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 570 This Water Well Record was completed on Insolately 10/23/2009				
under the business name of .Aquadrill by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy				