county: LONNSON Fraction SESESESESESESESESESESESESESESESESESESE	5ec 1/3					
CORRECTION(S) TO WATER WELL COME (to rectify lacking or incorrect Owner:	information)					
Location was listed as:	Location changed to:					
Section-Township-Range: 4-125-23 £	4-125-23E					
Fraction (1/4 1/4 1/4):	5£ 5£ 5£ 5£					
Other changes: Initial statements:						
Changed to: John Son Cou	inty					
Comments:						
Verification method: Latitude & longitude, Resources Library, 1930 Coto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jack	(G5) "LEO" CONVERSION 400/ 2d map, and mapping 400/ 4e. initials: Aledate: 1/4/20/3 onstant Ave., Lawrence, KS 66047-3726 kson, Suite 420, Topeka, KS 66612-1367.					

		Form WWC-				ces; App. No.		
1 LOCATION C	F WATER WELL: Shawnee	Fraction NE ¼ NE ¼	SE ¼	ection Nun 4	nber T	Township Number T 12 S	Range Number R 23 E	
County: Shawnee NE 1/4 NE 1/4 SE 1/4 4 T 12 S R 23 Distance and direction from nearest town or city street address of well if located within city? 23206 W 55th Street, Shawnee, KS Global Positioning System (decimal degrees, min. of 4 digits Latitude: 39.02972° Longitude: 94.85394°							rees, min. of 4 digits)	
RR#, St. Addre	L OWNER: JW P ss, Box # : 6333 I Code : Shawr	Long, Suite 301	E	levation:	RIM:86	61.67; TOC:861.33	3	
City, State, ZIP	Coue : SHAWI	F COMPLETED WE	1.1.18.86			ft.		
5 LOCATE WELLS 4 DEITH OF COM EDIED WILL TOO								
LOCATON	IN Donth (a) Grav	indwater Encountered 1	NI	7	ft 2	ft 3	ft	
WITH AN "X" SECTION BO	THE Deputes Orot	andwater Encountered 1 TIC WATER LEVEL	Dry ft	below land	d surface	measured on mo/	day/yr 8/21/13	
SECTION BO	Pur	nn test data: Well wate	er was	π. a	itter	nours pump	omg gpin i	
	Est. Yield	gpm: Well wate	r was	ft. a	ıfter	hours pump	oing gpm	
NWNE	WELL WATE	ER TO BE USED AS:	5 Public wat	er supply	8 Air c	conditioning 11 1	njection well	
	1 Domestic 3	3 Feed lot 6 Oil field	water supply	y <u>9</u>	2 Dewate	ering 12 Otl	her (Specify below)	
W	$ \mathbf{x} = 2$ Irrigation	4 Industrial 7 Domest	ic (lawn & ga	irden) (10) Monito	oring well		
sw-se	-					у 13.77 Na.27	76	
	Was a chemic	al/bacteriological samp	le submitted	to Departr	ment? Y	(es No X)	II yes, mo/day/yrs	
S	Sample was s	ubmitted		W	ater Wel	Disinfected? Ye	s NO X	
5 TYPE OF CAS	SING USED: 5	Wrought Iron	8 Concrete	tile	CASIN	G JOINTS: Glued	dClamped	
1 Steel	3 RMP (SR) 6	Asbestos-Cement	9 Other (s)	pecify belo	ow)	Weld	ed	
(2) PVC	4 ABS 7	Fiberglass 3.86 ft., Dia 29 ft., Weight			a	Threa	aged X	
Blank casing diam	eter 2 in. to	3.86 ft., Dia	in	. to	n., L	na III	I. W	
Casing height below	v land surface 0.	29 tt., Weight		IDS./T	ı. want	mickness or gauge	INU.	
1 Steel 2 S	N OR PERFORATIO	iberglass 7) PVC	9 AF	3S	1	11 Other (specify))	
2 Brass 4 C	alvanized steel 6 C	Concrete tile 8 RM (S	R) 10 As	bestos-Cei	ment 1	12 None used (op	en hole)	
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3.86 ft. to 18.86 ft. From ft. to ft.								
Z Louvered S	nunter 4 Key punct	ieu o wiie wrapped S: From 3.86	o saw C	18.86	ft. Fron	n ft.	to ft.	
BUNDER PERFU	VETTING HATTING AND	From	ft. to		ft. Fron	n ft.	to ft.	
GRAVELE	ACK INTERVALS:	From 2	ft. to	19.25	ft. Fron	n ft.	to ft.	
		From	ft. to		ft. Fron	n ft.	to ft. to ft. to ft.	
6 GROUT MAT	ERIAL: 1 Neat ce	ement 2 Cement grou	t (3 Benton	nite (4	Other (Concrete: 0-1 ft		
Grout Intervals	From 1 ft. t	o ft. From	2 ft.	to	ft.	From	ft. to ft.	
Grout Intervals From 1 ft. to ft. From 2 ft. to ft. From ft. to ft. What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)								
2 Sewer lines	5 Cess po		(11) Fuel sto			doned water well	below)	
	ewer lines 6 Seepage		How many			ell/ gas well		
	11? SE		-		, 1L	DI LICODIO DI	PEDMAT C	
FROM TO		LOGIC LOG	FROM	ТО		PLUGGING IN	IEKVALS	
0 0.8	Concrete Proven silty clay			-			***************************************	
0.8 13 13 15	Brown silty clay Brown sandy clay	. medium grained						
15 19.25	Limestone	2 and was a series of the seri						
				-				
		A CONTRACTOR OF THE CONTRACTOR			Flushmo	ount waiver from	BOW	
					<u></u>		(2)	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/26/13 and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 8/5/13								
under the business name of Larsen & Associates, Inc. by (signature)								
XX ICONX I CONX ON IO DI	Cit in blanka an airela	the correct enginers. Cand to	n three conies to	Kansas Det	partment of	f Health and Environm	ent, Bureau of Water,	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for								
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.								