WATER WELL RECORD	TER WELL RECORD Form WWC-5		Division of Water Resources App. No.				
	Fraction		Section Number Township No.		Range Number		
	SE 4 NW 4 SE	1/4 1/4		28		, ,	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitu	Latitude:38,974218 (in decimal degrees)			
23501 W. 84th Street, Lenexa, KS 66227				Longitude: 94.860833 (in decimal degrees)			
25557 777 5757 55557 55557 55557				Elevation			
2 WATER WELL OWNER: Thales ATM Inc.				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Thales ATM, Inc. RR#, Street Address, Box #: 10950 El Monte St., Suite #110			Colle	Collection Method: GPS unit (Make/Model: Google Earth)			
City, State, ZIP Code : Overland Park. KS 66211			Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy:							
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 15.25'							
SECTION BOX: Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL							
Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm							
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel P PVC Other							
Casing diameter 2.0" in. to 5.25' ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. Flush	in Weight		lbs./f	t. Wall thi	ckness or gauge	Io Sch.40	
TYPE OF SCREEN OR PERFORATION				,			
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From. 5.25 ft. to15.25 ft., From							
From							
GRAVEL PACK INTERVALS: From. 4.25 ft. to 15.25 ft. From ft. to ft.							
	From	ft. to		ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete							
Grout Intervals: From .0 ft. to		1.0	ft. to!	.25' fl.,	From	ft. toft.	
What is the nearest source of possible conta		_			_		
. = : =	<u> </u>	Livestock		Insecticide		her (specify below)	
Sewer lines Cesspool		Fuel storag		Abandone			
✓ Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well							
FROM TO LITHOLOG		FROM	TO			UGGING INTERVALS	
TAGAT 10 DITTO	20200		1.0'			DOUBLE BUILDING	
			15.25	3/8 Bentor	nite Chips Hydra	ited	
			-				
	4			,			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed or _ plugged							
under my jurisdiction and was completed on (mo/day/year) .03/22/2016 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) 03/23/2016							
under the business name of PSA Environ							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							