| WATER WELL REC | CORD | Form W | WC-5 | Division o | of Water I | Resources App. No | MW-NW | |
|---|--|---|-------------------------------|--|---|------------------------|-------------------------|--|
| 1 LOCATION OF WA | | Fraction | | | | | Range Number | |
| County: Johnson | | SE 4 NW 4SE | | 28 | | T 12 S | R 23 | |
| Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here | | | | | Global Positioning System (GPS) information: Latitude: .38.975295 (in decimal degrees) Longitude: 94.859482 (in decimal degrees) Elevation: Datum: (M) WGS 84, NAD 83, NAD 27 | | | |
| 2 WATER WELL OWNER: Thales ATM, Inc. RR#, Street Address, Box #: 10950 El Monte St., Suite #110 City, State, ZIP Code : Overland Park, KS 66211 | | | | Collection Method: GPS unit (Make/Model: Google Earth Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 73-5 m, 5-15 m, >15 m | | | | |
| 3 LOCATE WELL WITH AN "X" IN | | COMPLETED WEL | т. 15.18' | | | m, 23-5 m, | 5-15 m, | |
| SECTION BOX: | Depth(s) Ground WELL'S STAT Pump | dwater Encountered IC WATER LEVEL? test data: Well wate | (1) 7.08' ft. r was | ft. (2 below land st ft. after. | l) rface me | easured on mo/da | sy/yr3/22/16 pinggpm | |
| EST. YIELD | | | | | | | | |
| 5 TYPE OF CASING USED: Steel PPC Other | | | | | | | | |
| Casing height above land surface. Flush in., Weight lbs./ft., Wall thickness or gauge No. Sch.40. TYPE OF SCREEN OR PERFORATION MATERIAL: Stock Stainless Stock PVC Other (Specify) | | | | | | | | |
| Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) | | | | | | | | |
| SCREEN-PERFORATE | D INTERVALS: | From. 5.18' | ft. to15.18 | 1 1., F | rom | ft. t | ιο ft. | |
| CDAVEL DACI | Z INTEDVAL Q. | From 4.18' | n. to | | rom | IL t | to ft. to ft. | |
| URAVELIACI | | From | fL to | ft F | rom | ft. t | to ft. | |
| From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Entervals: From 0 ft. to 1.0 ft., From 1.0 ft. to 4.18 ft., From ft. to ft. | | | | | | | | |
| What is the nearest source | e of possible cont | amination: | Livestock p | | ecticide si | _ | er (specify below) | |
| Septic tank Sewer lines Watertight sewer li Direction from well | Cesspool ines Seepage | Sewage lagoon | ☐ Fuel storage☐ Fertilizer st | e ∏Aba orage ∏Oil | endoned w well/gas | vater well | er (specify below) | |
| FROM TO | LITHOLOG | | FROM | TO LIT | HO. LO | G (cont.) or PLU | GGING INTERVALS | |
| | | | | | s/Topso | oil e Chips Hydrati | · · | |
| | | | 1.0 | 13.16 3/61 | Jei Idyille | e Chips Hydrau | 8 0 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed or plugged under my jurisdiction and was completed on (mo/day/year) .03/22/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) .03/23/2016 under the business name ofPSA Environmental Services, LLC by (signature) | | | | | | | | |
| INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fall in blacks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Barcan of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. | | | | | | | | |
| Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html . | | | | | | | | |
| KSA 82a-1212 | | | | Check: | ☐ Whit | e Copy, 🔲 Blu | e Copy, Pink Copy | |