WATER V				WWC-5		vivision of Wat					
		Correction		e in Well Use		sources App.			Well ID		
1 LOCATION OF WATER WELL:			Fraction						nge Number		
	Johnson			SE 1/4 SW 1/4 SW 1/4							
2 WELL O	WNER: L	ast Name: Ha	yes	First: Jim	Street or Rural Address where well is located (if unknown, distance and						
Business: Address:		direction from nearest town or intersection): If at owner's address, check here:									
Address: 19100 W. 59th Address:											
City:	Shawnee		State: KS	ZIP: 66218							
3 LOCATE			IPLETED WELL: .	400	A	1_	39 02201	4			
WITH "X"	" IN	Donth(s) G	i Ur CUIVI mundwatar i	Encountered: 1)	IL 5 Late	5 Latitude: 39.022014 (decimal degrees) Longitude: -94.806038 (decimal degrees)					
SECTION BOA:			3) ft., or 4)								
				TER LEVEL:							
			below land surface, measured on (mo-day-yr								
			above land surface, measured on (mo-day-yr			-		WAAS enabled?			
			ump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map					
W E afte			after hours pumping			■ Online Mapper: WGS84					
SW SE		ofter.	Well water was ft. after hours pumping gr								
		Estimated Yield:9gpm			gpui	6 Elevation:ft. Ground Level TOC					
S		Bore Hole Diameter: .5.5/8 in to 400			ft. and						
1 mile				in. to		☐ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:				er Supply: well ID							
				g: how many wells?							
I —				echarge: well ID							
			g: well ID								
2. ☐ Irrigation 9. Environmenta 3. ☐ Feedlot ☐ Air Sparge			al Remediation: well II Boil Vapor I								
3. rection Air sparge 4. Industrial Recovery				EXITACION		b) Open Loop					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:											
Water well disinfected? Yes No CASING IOINTS: COMMAND COMMAND THE PROPERTY OF THE POWER OF TH											
8 TYPE OF CASING USED: Steel PVC Other HD Poly CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
TYPE OF SCREEN OR PERFORATION MATERIAL: None											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: None											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From 400 ft. to 340 B ft., From 340 ft. to 240 C ft., From 240 ft. to 3 B ft.											
Grout Intervals: From 400 ft. to 340 ft., From 340 ft. to 240 C. ft., From 240 ft. to 3 B ft.											
Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage											
☐ Septic Ta			Cess Pool	s ☐ Pit Privy ☐ Sewage La	_	☐ Fuel Storag					
	□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Other (Specify)											
Direction from well? ft.											
10 FROM	ТО	j	LITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
0 8		soil/clay	175-182 s		264	285	lime)			
8 2			182-192 li		285	289	sha				
23 3		lime	192-200 s		289	304	lime				
38 5			200-206 li		304	400	sha	le			
58 6			206-223 s				<u> </u>				
69 7			223-225 li								
		<u>ime</u>	225-230 s		Notes:	2-400' Bores					
112 155 shale 230-258 lime Plugged from 400-340 Bentonite, 340-240 with 0								ment, 240-	3 Bentonite		
155 175 lime 258-264 shale 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ■ constructed, □ reconstructed, or ■ plugged											
11 CONTRA	ACTOR'S	OR LAND	OWNER'S	S CERTIFICATION	1: This wa	ter well was	CC	onstructed, 🗌 reco	nstructed,	or 🔳 plugged	
under my juri	isdiction a	nd was comp	neted on (m	no-day-year) .05/25/2 161 This Wa	4V.I / an	a this record	18 tri	ue to the best of my	y knowled	ge and belief.	
under the bus	i WEII COI	mactor's Lic	Eneray De	eyelopmentlnc	uer well K	Signature	mple	TELLOIL (MO-047) YO	iar) 40/48	# 4 9.17	
Mail 1 w	white copy ale	ong with a fee of	\$5.00 for eac	h constructed well to: Kar	sas Departme	ent of Health and	d Envi	ronment. Bureau of W	ater, GWTS	Section.	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.											
1	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										