

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Johnson		NE ¼ NE ¼ NE ¼	34	T 12 S	R 24 E
Distance and direction from nearest town or city street address of well if located within city? Working Man's Friend, Eavushaw + 87th Lennexa Kansas					
WATER WELL OWNER: Underground Environmental Services					
R#, St. Address, Box # : 8211 Perry			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Overland Park KS 66204			Application Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 13'4" ft. ELEVATION:			
<div style="text-align: center;">NW NE SW SE</div>		Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL 13'4" ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was .ft. after . hours pumping gpm			
		Est. Yield gpm: Well water was .ft. after . hours pumping gpm			
		Bore Hole Diameter .in. to .ft., and .in. to .ft.			
		WELL WATER TO BE USED AS: 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    ⑩ Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped Welded Threaded			
1 Steel    3 RMP (SR)		5 Wrought iron    8 Concrete tile			
② PVC    4 ABS		6 Asbestos-Cement    9 Other (specify below)			
Blank casing diameter 4 in. to 13'4" ft. Dia		7 Fiberglass			
Casing height above land surface .in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		⑦ PVC    10 Asbestos-cement			
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)		11 Other (specify)			
2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped    8 Saw cut    11 None (open hole)			
1 Continuous slot    ③ Mill slot    6 Wire wrapped    9 Drilled holes					
2 Louvered shutter    4 Key punched    7 Torch cut    10 Other (specify)					
GREEN-PERFORATED INTERVALS: From 3'4" ft. to 13'4" ft.					
GRAVEL PACK INTERVALS: From 2'4" ft. to 13'4" ft.					
GROUT MATERIAL: 1 Neat cement    2 Cement grout    ③ Bentonite    4 Other					
Grout Intervals: From 1 ft. to 2'6" ft.					
What is the nearest source of possible contamination:					
1 Septic tank    4 Lateral lines    7 Pit privy    ⑩ Fuel storage    14 Abandoned water well					
2 Sewer lines    5 Cess pool    8 Sewage lagoon    12 Fertilizer storage    15 Oil well/Gas well					
3 Watertight sewer lines    6 Seepage pit    9 Feedyard    13 Insecticide storage    16 Other (specify below)					
Direction from well? North		How many feet? 0			
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0 8" Gray Concrete Paving					
8" 2'5" Brown Silty-clay					
2'5" 5' Black Brown Silty-clay					
5' 7' Red Brown Silty-clay					
7' 10' Light Brown Silty-clay					
10' 15' Gray Shale					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-8-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 522 This Water Well Record was completed on (mo/day/yr) by (signature) Petrovice Drilling					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.					