				R WELL RECORD	Form WWC-	5 KSA 82				
		TER WELL:	Fraction	NW N		ction Number			Range Number	
County:	sorious	on	1/4			34	T 62	S	R 24 (EW	
				address of well if locate						
87	" and	Quivera t	rd. ; Le	nexa, Ks 66	<u>ير کري</u>					
2 WATER	R WELL OV	NER: Under	groundE	nuironmental	Swell)				
RR#, St. /	Address, Bo	×# : 3864 W	3.75+h·				Board of A	griculture, D	ivision of Water Resource	
City, State	, ZIP Code	Prair	re Village	, Ks. 66208			Application	Number:		
3 LOCATI	WELL'S L	OCATION WITH	DEPTH OF C	OMPLETED WELL	15ft	ft FLFV	ATION:			
☐ AN "X"	IN SECTIO	N BOX:	Jenth(s) Ground	water Encountered 1	10'	ft ft	2	ft 3		
- r									11/7/91	
† 1	i	×							mping gpm	
	- NW	NE		•				•		
1	ļ								nping gpm	
Mile W	<u> </u>				•				toft.	
Σ .	-	l ! '		TO BE USED AS:	5 Public wat		8 Air conditioning		njection well	
1	- SW	SE	1 Domestic						Other (Specify below)	
	1		2 Irrigation							
↓ L	i	l v	Nas a chemical/	bacteriological sample	submitted to D	epartment? Y	′esNo. 🔨	; If yes,	mo/day/yr sample was sub	
		ş n	nitted			W	ater Well Disinfecte	d? Yes	(No)	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JO	INTS: Glued	Clamped	
1 Ste	el	3 RMP (SR))	6 Asbestos-Cement	9 Other	(specify belo	w)	Welde	ed	
⊘ PV	'C	4 ABS		7 Fiberglass				Threa	ded	
Blank casi	ng diameter	Z.25 ir	n. to 5	ft., Dia	in. to	.	ft., Dia	i	n. to ft.	
	-								SCH.40	
TYPE OF	SCREEN O	and surface	MATERIAL	£", ""						
1 Ste		3 Stainless		5 Fiberalass						
2 Bra				•						
		-		5 Fiberglass		•				
	ntinuous sk	FORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) slot 3 Mill slot 010 6 Wire wrapped 9 Drilled holes hutter 4 Key punched 7 Torch cut 10 Other (specify) ATED INTERVALS: From 1.5 ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.								
			Mill slot OIO 6 Wire wrapped 9 Drilled holes Key punched 7 Torch cut 10 Other (specify) S: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.							
	uvered shut		/ punched			4 5				
SCHEEN-	PERFORAT	ED INTERVALS:								
		OK INTERVALO								
,	MAVEL PA	CK INTERVALS:								
			From	Cartor ft. to	3 Bent	ft., Fro				
_	MATERIAL	E-		2 Cement grout						
Grout Inter				ft., From	ft.				. ft. to	
What is th	e nearest so	ource of possible of	ontamination:				stock pens		pandoned water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
		5 Cess p		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			ge pit	9 Feedyard		13 Inse	cticide storage			
Direction f	rom well?	West				How ma	any feet? 100			
FROM	TO		LITHOLOGIC	LOG	FROM	то	Pl	UGGING IN	TERVALS	
0	1/3'	Asphalt "	1/1s,rx.b	ackful						
1//3'	4'	Buen-Black								
4'	7'	RIAGU SILTU	100°	•						
7'	91/2'	Brown sile	tu mattle	d clay-lamin	atod.					
91/2'	11/2'	11. Manage	en Silture	d clay-lamin lay, mottled- y mottled clay	Laminala	<i>i</i>				
11/2	13.	Reddick	1/01.23 1/4	wattled cla						
13'	15'	Que gray C	un se	o la	9					
13		rate gray c		are					ALIAL A. M. C.	
						1				
				,		 				
			-			 				
		<u></u>				1				
7 CONTE	RACTOR'S	OR LANDOWNER'S	S CERTIFICAT	ION: This water well w	as (1) constru	ucted, (2) rec	onstructed, or (3) p	olugged und	er my jurisdiction and was	
completed	on (mo/dav	/year)!!/6/9	4						wledge and belief. Kansas	
Water Wel	Contractor	's License No.	539	This Water V						
				of Dullin			ature) Oamas	a ha	> P. 1	