MW 12

CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)

(to rectify lacking or incorrect information)

LOCATION OF WATER WELL: County: Johnson	Fraction	Section	1	nship 12 S		nge 24	⊠E	□w
Owner: Coastal Mart Inc								
Location was listed as:	1	Location changed	d to:					
Sec. 11 T 12 S R	R <u>24</u> ⊠E □W	Sec. 11	_ T_	<u>12</u> S	R_	24	X E	$\square w$
Fraction: <u>NE NE</u> NE		Fraction: _		SE	NE	sv	<u>/</u>	
Other changes: Initial statements: Re	ecived plugging record with note from	m driller that the site	map a	nd our q	uarter	sectio	ns	
on the compleation form and in the data	base did not match.							
Changed to:								

Comments:								
Verification method: Used site map from	om driller, aerial image, well comple	ation and plugging fo	orms.					
		init	ials: 0	df d	ate:	04/22/	2014	
,	ical Survey, Data Resources Librar Environment, Bureau of Water, 100	y, 1930 Constant Av	e., La	wrence, I	S 660	047-3	726	

LOCATION OF WA						T		
ounty: JOHNS		Fraction NE 1/4 NE	2 % NE		tion Numbe 1	r Township N	umber S	Range Number
	from nearest town o	•	s of well if located	within city?				MW#12
	IEMAN RD SH							1111// 12
	VNER: COASTAI >x # : C/O DEI : 9 GREEN			10 HOUS	770 TON, T	Board of A	-	Division of Water Resource
IN "X" IN SECTIO	OCATION WITH 4	DEPTH OF COMP	LETED WELL	.14	. ft. ELEV	ATION:		
w NW	X WE	Pump test t. Yield re Hole Diameter . ELL WATER TO BE 1 Domestic	TER LEVEL	ft. be was was 1.4 5 Public wate 6 Oil field wat	elow land so	urface measured on after	mo/day/yr hours pur hours pur in. 11	mping gpm mping gpm to ft. Injection well Other (Specify below)
!		2 Irrigation as a chemical/bacte tted			partment?		; If yes,	mo/day/yr sample was sub
TYPE OF BLANK			Vrought iron	8 Concre				1 Clamped
1 Steel 2 PVC nk casing diamete	3 RMP (SR) 4 ABS 7 in.	6 A 7 F to 5	asbestos-Cement liberglass ft., Dia	9 Other (specify bek	ow) ft., Dia	Welde Threa	ed
			weight Ched. 4					o
	OR PERFORATION M			37 PV			estos-ceme	
1 Steel	3 Stainless ste		iberglass		P (SR)		, , , , , , , , , , , , , , , , , , , ,	
2 Brass	4 Galvanized		Concrete tile	9 AB	•		e used (op	•
	PRATION OPENINGS ot X 3 Mill s		6 Wire v	d wrapped		8 Saw cut 9 Drilled holes		11 None (open hole)
1 Continuous si 2 Louvered shu			7 Torch	• •				
REEN-PERFORAT	ED INTERVALS:			. .	ft., Fr	om	ft. to	o
GRAVEL PA	ACK INTERVALS:	From. 14	ft. to					o
GRAVEL PA	ACK INTERVALS:	From	ft. to		ft., Fr	om	ft. to	o
GROUT MATERIA	L: 1 Neat cem	From	ft. to	3.5	ft., Fr ft., Fr ft., Fr	om	ft. to	o ft
GROUT MATERIA	L: 1 Neat cem	From to03 Ce	ft. to	3.5	ft., Fr. ft., Fr. ft., Fr. nite 2	om	ft. to	o ft
GROUT MATERIA out Intervals: Fro at is the nearest s	L: 1 Neat cem om 2 ft.	rent - 3 2 Ce to	ement grout ft., From 3	3.5	toft., Fr	om om Other ft., From	ft. to ft. t	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank	L: 1 Neat cem om	rent - 33 Ce to - 03 ce tamination:	ft. to ement grout ft., From 3	3.5 3 Benton	ft., Frft., Fr. ft., Fr. nite 2 to	omom 4 Other stock pens I storage	ft. to ft.	to ft. ft. to
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat cem om	rent - 33 Ce to - 03 ce to	ft. to ement grout ft., From	3.5 3 Benton	tt., Fr. tt., Fr. tt., Fr. tt., Fr. tt., Fr. 10 Live 11 Fue 12 Ferl	om	ft. to ft.	o ft
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se	L: 1 Neat cem om	rent - 33 Ce to - 03 ce to	ft. to ement grout ft., From 3	3.5 3 Benton	10 Live 12 Ferd 13 Inse	om	ft. to ft.	. ft. to
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se action from well?	L: 1 Neat cem om. 2 ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West	From pent - 3 2 Ce to - 0 3 ntamination: ines ol	ft. to ement grout ft., From 3. 7 Pit privy 8 Sewage lago 9 Feedyard	3.5 3 Benton	10 Live 12 Ferd 13 Inse	om	ft. to ft.	to ft. ft. to
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- action from well? ROM TO	L: 1 Neat cem 2ft. Fource of possible con 4 Lateral li 5 Cess poower lines 6 Seepage West	rent - 33 Ce to - 03 ce to	ft. to ement grout ft., From 3. 7 Pit privy 8 Sewage lago 9 Feedyard	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight section from well? ROM TO 0 6"	L: 1 Neat cem 2ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West ASPHALT	From pent - 3 2 Ce to - 0 3 ntamination: ines ol	ft. to ement grout ft., From 3. 7 Pit privy 8 Sewage lago 9 Feedyard	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- action from well? ROM TO 0 6" 6" 3	L: 1 Neat cem om	rent - 03 Center to -	ft. to ement grout ft., From 3. 7 Pit privy 8 Sewage lago 9 Feedyard	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- section from well? ROM TO 0 6" 6" 3 1 10	L: 1 Neat cem 2ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West ASPHALT TOPSOIL BRN SILTY	From pent - 03 Ce to - 03 Ce ntamination: ines ol p pit LITHOLOGIC LOG	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- action from well? ROM TO 0 6" 6" 3 1 10 1 1 3 5	L: 1 Neat cem om	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	the first of the f
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- action from well? ROM TO 0 6" 6" 3 1 10 1 1 3 5	L: 1 Neat cem 2ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West ASPHALT TOPSOIL BRN SILTY	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- section from well? ROM TO 0 6" 6" 3 1 0 1 1 3 5	L: 1 Neat cem om	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	o ft. ft. to
GROUT MATERIA aut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- action from well? ROM TO 0 6" 6" 3 1 10 1 3 5	L: 1 Neat cem om	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA cout Intervals: From the is the nearest so a seperal lines in the separal line	L: 1 Neat cem om	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	the first of the f
GROUT MATERIA cout Intervals: From the is the nearest so a seperal lines in the separal line	L: 1 Neat cem om	From Hent - 03 Ce to - 03 Ce Intamination: Interpretation: Interpreta	ft. to ement grout ft., From	3.5 3 Benton	10 Live 11 Fue 12 Fend 13 Inse	om	ft. to ft.	ther (specify below)
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se ection from well? ROM TO 0 6" 6" 3 1 10 1 13.5 1 3.5 1 4 CONTRACTOR'S inpleted on (mo/dai	L: 1 Neat cem 2ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West ASPHALT TOPSOIL BRN SILTY TAN SILTY LIMESTONI OR LANDOWNER'S V(vear) 5-7-9	From Pent - 03 Ce to - 03 Ce Intamination: Intes OF pit LITHOLOGIC LOG Y CLAY Y CLAY WET E CERTIFICATION: 98	ft. to ement grout ft., From	3.5 3 Benton FROM FROM as (X) construction	tt., Fr. ft., Fr. ft.	om	tt. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o ft
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines X3 Watertight se- ection from well? ROM TO 0 6" 6" 3 1 10 1 3 . 5 1 3 . 5 1 4 CONTRACTOR'S repleted on (mo/dater Well Contractor	L: 1 Neat cem 2ft. cource of possible con 4 Lateral li 5 Cess power lines 6 Seepage West ASPHALT TOPSOIL BRN SILTY TAN SILTY LIMESTONI OR LANDOWNER'S V(vear) 5-7-9	From Hent - 03 Ce to - 03 Ce Ito - 03 Ce To - 04 C	ft. to ement grout ft., From	3.5 3 Benton FROM FROM Bas (X) construction	tt., Fr. ft., Fr. ft.	om	tt. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o fi




FIGURE 1 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B Lawrence, KS 66046

785-841-8707 office 785-865-4282 fax

PROJECT:

Coastal Mart #1154 6000 Nieman Rd. Shawnee, KS KDHE ID: U4-046-00099 Date: 10/31/13 & 11/19/13

100 ft

Approximate Location of Former UST Basin, Pump Islands & Product Lines 8-

Approximate Location of Former Waste Oil Tank

Existing Monitoring Well Plugged/Destroyed Monitoring Well

Approximate Location of Property Line

Figures exhibited within this report are only to be used within the context of this report. Placement of property lines, wells, structures, and roads is based on the available information from country appraiser maps, surveys, site visits, and/or previous vendor reports and should be considered approximate.