


1 LOCATION OF WATER WELL:  
County: Johnson  
Distance and direction from nearest town or city street address of well if located within city?  
6041 Nieman Road, K.C. Ks.

2 WATER WELL OWNER: Texas Refinery  
RR#, St. Address, Box #: 1437 S. Boulevard  
City, State, ZIP Code: Tulsa, OK 74119  
Board of Agriculture, Division of Water Resources  
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 15 ft. ELEVATION:  
Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft.  
WELL'S STATIC WATER LEVEL: 0 ft. below land surface measured on mo/day/yr  
Pump test data: Well water was .ft. after .hours pumping .gpm  
Est. Yield .gpm: Well water was .ft. after .hours pumping .gpm  
Bore Hole Diameter: .in. to .ft., and .in. to .ft.  
WELL WATER TO BE USED AS:  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Plugged  
Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
7 Fiberglass Threaded  
Blank casing diameter .in. to .ft., Dia. .in. to .ft., Dia. .in. to .ft.  
Casing height above land surface .in., weight .lbs./ft. Wall thickness or gauge No.  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
7 Torch cut 10 Other (specify)  
SCREEN-PERFORATED INTERVALS: From 999 ft. to 999 ft. From .ft. to .ft.  
GRAVEL PACK INTERVALS: From .ft. to .ft. From .ft. to .ft.  
From .ft. to .ft. From .ft. to .ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Clay backfill  
Grout Intervals: From 15' ft. to 1' ft. From 1' ft. to 0.0 ft. From .ft. to .ft.  
What is the nearest source of possible contamination:  
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
13 Insecticide storage  
Direction from well? How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

Flush Mt. Manway was removed w/ all cement grout  
All 2" PVC pipe/screen was removed TO 15'  
Plugged w/ Bentonite 15'-1'  
Clay backfill 1'-0'  
15 1 Bentonite

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-29-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 6-30-98 under the business name of JB Env. Drilling by (signature) James Buber

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
R  
EW  
SEC.