	OF MAT	ED MELL.		ATER WELL RE	CORD For		KSA 82a-1: tion Number		ship Number	Pan	ge Number	
	ON OF WAT	er well: hnson	Fraction	% SE	v SF		36	1	12 S			' E
County: Distance and			t town or city street						12			
				8700 W. 95	th Street,	Overland	Park, Ks					
2 WATER	WELL OWN	ER: 7-E	leven, Inc.									
 RR#, St. Add	dress, Box#	: P.O	. Box 711 (Lo	oc 0148)				Board of	f Agriculture,	Division of Wa	ater Resou	ırces
City, State, 2	ZIP Code	Dal	las, TX 7522	1-0711				Applicat	ion Number:	- Name		
3 LOCATE	WELL'S LO	CATON W	TTH 4 DEBTH O	E COMPLETED	MELL	17	f FLEV	ATION:				
AN X IN	SECTION I	BUA.	Donth(s) Grou	F COMPLETED undwater Encou	intered 1	1.	11. LLLV 1 #	2		 		 C+
	N.		MELL'S STA	TIC WATER LE	√FI 1	0.33 ft	helow land si	urface meas	ured on mole	tav/vr 0	1/08/09	' '.
	N		-	ump test data:								
T I	1 1	-		Gpm:						rs pumping		
-	NW	NE	Bore Hole Dis	ameter 8.62	5 In to 1	 7	'	Et and		in to		Ft
W W		_	E WELL WATE	R TO BE USED	AS: 5 Pu	blic water s	upply	8 Air co	nditioning	11 Injection	ı well	' ''
- ×			1 Dome	estic 3 Feed lo	ot 6 Oi	I field water	supply	9 Dewa	itering	12 Other (S	specify belo	ow)
	SW	SE	2 Irrigat	ion 4 Industr	rial 7 La	wn and gard	den (do <mark>me</mark> stic) 10 Mon	itoring well	JMW-8		
	;	iv	Was a chemic	cal/bacteriologic	al sample si	ubmitted to	Department?	Yes	No X	yes, mo/day/y	r sample w	as
† L		1 /	Submitted						nfected? Yes		No X	
5 TYPE OF	BLANK CA	SING USE	D:	5 Wroug	ht Iron	8 Concr	et e tile	CASING	JOINTS: G	lued	Clamped	
1 Ste	el	3 RI	MP (SR)	6 Asbest	tos-Cement	9 Other	(specify below	v)	V	/elded		
2 PV0	5	4 AE	3S	7 Fibergl	lass				Т	Velded hreaded	X	
				Ft.,								
Blank casing	diameter		In. to	5 Dia		In. 1	10	ft., Dia		in. to		ft.
			FLUSH			>Π 4U	Lbs./ft.	Wall thickn	ess or gauge	No.		- -
			TION MATERIAL:		lass		PVC					
1 Stee 2 Bras		3 SI	ainless steel alvanized steel	5 Fibergi	idss ate tile	o 9	ABS	12	Mone used	(open hole)		
			NINGS ARE:	o conde						11 None	(open hole	e)
			3 Mill slot		6 Wire w			9 Drilled			(,
			4 Key punched		7 Torch			10 Other	(specify)			
SCREEN-PE	RFORATED	INTERVA	LS: From	5	ft. to	17	ft. Fi	rom		ft. to		ft.
			From		ft. to		ft. Fi	rom		ft. to		Ft.
SAN	D PACK INT	ERVALS:	From	4	ft. to	17	ft. Fi	rom		ft. to		Ft.
			From		ft. to		ft. Fi	rom		ft. to		Ft.
6												
GROUT I	MATERIAL:	1 Ne	eat cement	3	ut		tonite	4 Other				
Grout Interva	als From3	0	ft. to 2	Ft. From2	2	Ft. to		ft Fr	om	ft. to		ft
			ole contamination:				10 Livesto			Abandoned w		
1 Sep		·	4 Lateral line		7 Pit privy		11 Fuels			Oil well/ Gas		
2 Sew	er lines		5 Cess pool	8	Sewage I	agoon	12 Fertiliz	er storage	16	Other (specify	below)	-
3 Wat	ertight sewe	r lines	6 Seepage p	oit 9	9 Feedyard		13 Insecti	icide storage	e (Contamina	ted Site	e
Direction from	n well?						How many f	eet?				
FROM	TO	CODE	LITH	OLOGIC LOG		FROM	ТО		PLUGGING	INTERVALS	í	
0	.5		Concrete and									
.5	17		Clay, with sill		stic							
17	TD		End of Boreh	ole		ļ						
						<u> </u>	-					
							-					
7 CONTRA	CTOR'S OR	LANDOW	NER'S CERTIFICA	TION: This wa	ter well was	(x) construc	ted. (2) recon	structed, or	(3) plugged u	under my juris	diction and	w
 Completed o				/19/08						ledge and bel		-
Nater Well C				585					,	no/day/yr)		
under the bus	siness name	of	Associ	ated Enviro		l, Inc.	Ву	(signature)	Bradley	J. Johnson	on	
INSTRU	CTIONS: Ple	ease fill in bl	anks and circle the c	orrect answers.	Send three co	pies to Kans	as Department	of Health and	Environment,	Bureau of Wat	er Topeka,	
Kansas	00020-0001.	reiepnone:	913-296-5545. Sen	IG ONE TO WATER	VVELL UVVN	⊏r and retair	one for your re	ecords.	Forman de		//	i
									way	17/100	1000	
									-	11		