WATER WELL RECORD	Form WWC	.5	Division of Wat	er Resources App. N	MW-09	
1 LOCATION OF WATER WELL:	Fraction		tion Number	Township No.	Range Number	
County: Johnson	SE ¼ SE ¼ SE ¼	1/4	4	T 12 S	R 24 Z E □W	
Street/Rural Address of Well Location; i		ction Glo	bal Positionin	g System (GPS) is	nformation:	
from nearest town or intersection: If at owner's address, check here .			Global Positioning System (GPS) information: Latitude: 37.0332 (in decimal degrees) Longitude: 74.7423 (in decimal degrees)			
55th & Pflumm, Shawnee, KS 66217			Longitude: 74. 7423 (in decimal degrees)			
John & Fridmin, Grawnee, No 30217			Elevation:			
2 WATED WELL OWNED. H. H. D. H. C. LLO			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Magellan Pipeline Co. LLC			Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 53rd & Summit		-	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Shawnee, KS 66217		Est	Est. Accuracy:			
3 LOCATE WELL						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL, 22.0' ft.						
SECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STAT	WELL BRIATIC WATER DEVELOPMENT OF THE STATE					
Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELDgpm. Well water was						
w						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic						
SW SE Irrigation Industrial Domestic-lawn & garden ▼ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 2.0" in. to						
Casing height above land surface. Flush in., Weightlbs./ft., Wall thickness or gauge NoSch.40						
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Kev punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From15.0' ft. to22.0' ft., From ft. to ft.						
From. ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Topsoll Grout Intervals: From 0 ft. to 1.0 ft., From 1.0 ft. to 22.0 ft., From ft. to ft.						
Grout Intervals: From ft. to	1.9 ft., From .!	? ft. to	. 2. 2	., From	11. 10	
What is the nearest source of possible cont			[] Incontint	la starnes 🗀 Ot	ther (specify below)	
Deput talk						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well	- Land J	_	well			
FROM TO LITHOLOG		ROM TO	LITHO. I	LOG (cont.) or PL	UGGING INTERVALS	
	0	1'	Topsoil			
	1'	22.0'		onite Chips		
					1	
					<u> </u>	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or \ plugged						
1 under my invisition and was completed on (mo/day/year) 11/26/12 and this record is true to the best of as knowledge and belief.						
Kansas Water Well Contractor's License N	Io 606 This Wate	r Well Record	l was complete	ed on (morday/yea	r) .! <i>A</i> /.!.9(.!&	
under the husiness name of PSA ENVIRO	nmentai	bv	(signature)			
INSTRUCTIONS: Use typewriter or hall point pen PLEASE PRESS FIRMLY and PRINT clearly Please fill in blanks and eneck the correct answers. Solid filled copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						