WATER WELL RECORD	Form WW	/C-5	Division of Water	r Resources App. No	MW-12
1 LOCATION OF WATER WEL			ction Number		Range Number
County: Johnson	SE ¼ SE ¼ SE	1/4 1/4	4	T 12 S	R 24 Z E □W
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information: Latitude: 39.0327 (in decimal degrees) Longitude: 14.7428 (in decimal degrees)		
from nearest town or intersection: If at owner's address, check here .			Latitude: 37.032 (in decimal degrees)		
55th & Pflumm, Shawnee, KS 66217		Lo	Elevation: (in decimal degrees)		
			Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Magellan Pipeline Co. LLC			Collection Method:		
RR#, Street Address, Box #: 53rd & Summit			GPS unit (Make/Model:)		
City, State, ZIP Code : Shawnee, KS 66217			Digital Map/Photo, Topographic Map, Land Survey		
Est. Accuracy:					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 9.5' ft.					
SECTION BOX: Depth(s) Groundwater Encountered (1), ft. (2), ft. (3), ft.					
N WELL'S STATIC WATER LEVEL. 8.10'ft. below land surface measured on mo/day/yr. 11-12					
Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELDgpm. Well water wasft. after hours pumping					
W Bore Hole Diameter					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
SW SE Domestic Feediot Off field water supply Dewatering Other (speeds) Science Feediot Off field water supply Dewatering Other (speeds) Science Other (speeds) Other					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
	disinfected? ☐ Yes ☑ N				
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 2.0" in to 4.0' ft., Diameter in to ft., Diameter ft., Diameter in to ft.					
Casing height above land surface. Flush in., Weightlbs./ft., Wall thickness or gauge NoSch.40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From 4.0' ft. to 9.5' ft., From ft. to ft.					
From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Topsoil					
Grout Intervals: From .0					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					ner (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well					***************************************
	OLOGIC LOG	FROM TO			JGGING INTERVALS
TROM 10 DATE		0 1'	Topsoil		
		1' 9.5'	3/8/ Bentor	nite Chips	
					and the second s
					——————————————————————————————————————
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged					
under my jurisdiction and was completed on (mo/day/year) .1.1/27/12					
under the business name of PSA Environmental by (signature)					
INSTRUCTIONS: Use typewriter or hall point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white blue pink) to Kansas Department of	Health and Environment, Bureau of	f Water, Geology S	ection, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 66612-1367.
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					