

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Johnson	Fraction ¼ NW ¼ SW ¼ SW ¼	Section Number 24	Township No. T 12 S	Range Number R 24 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> Textron/Q-Tech Facility 7616 Wedd Street, Overland Park, KS 66204		Global Positioning System (GPS) information: Latitude: 38.988619 (in decimal degrees) Longitude: 94.70340 (in decimal degrees) Elevation: 976 Datum: <input type="checkbox"/> WGS 84. <input checked="" type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:) <input checked="" type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input checked="" type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		
2 WATER WELL OWNER: Q-Tech Corporation RR#, Street Address, Box #: 250 North Westlake Blvd. City, State, ZIP Code : Westlake Village, CA 91361				

<p>3 LOCATE WELL WITH AN "X" IN SECTION BOX: N</p> <table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="width: 50px;">W</td> <td style="width: 50px;">E</td> </tr> <tr> <td style="width: 50px;">NW</td> <td style="width: 50px;">NE</td> </tr> <tr> <td style="width: 50px;">SW</td> <td style="width: 50px;">SE</td> </tr> <tr> <td style="width: 50px;">S</td> <td style="width: 50px;">S</td> </tr> </table> <p>(-----1 mile-----)</p>	W	E	NW	NE	SW	SE	S	S	<p>4 DEPTH OF COMPLETED WELL 17.5 ft.</p> <p>Depth(s) Groundwater Encountered (1) 17.26 ^{17.5} ft. (2) N/A ft. (3) N/A ft.</p> <p>WELL'S STATIC WATER LEVEL 17.26 ^{17.5} ft. below land surface measured on mo/day/yr 9-9-2014</p> <p>Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm</p> <p>EST. YIELD N/A gpm. Well water was N/A ft. after N/A hours pumping N/A gpm</p> <p>Bore Hole Diameter 3.25 in. to 17.5 ft. and N/A in. to N/A ft.</p> <p>WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input checked="" type="checkbox"/> Monitoring well MW-21</p> <p>Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted N/A</p> <p>Water well disinfected? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>
W	E								
NW	NE								
SW	SE								
S	S								

5 TYPE OF CASING USED: Steel PVC Other

CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter 1. in. to 7.5 ft., Diameter 2. in. to 17.5 ft., Diameter N/A in. to N/A ft.

Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify) Pre-packed Screens

SCREEN-PERFORATED INTERVALS: From 7.5 ft. to 17.5 ft., From N/A ft. to N/A ft.
 From N/A ft. to N/A ft., From N/A ft. to N/A ft.

GRAVEL PACK INTERVALS: From 5.5 ft. to 17.5 ft., From N/A ft. to N/A ft.
 From N/A ft. to N/A ft., From N/A ft. to N/A ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2 feet

Grout Intervals: From 2 ft. to 5.5 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft.

What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Chlorinated Solvents

Direction from well Northwest Distance from well 550-feet

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	6.75	Clay red firm dry Fe/Mn nodules			
6.75	12	clay reddish yellow firm dry Fe/Mn nodules Mn staining			
12	17	clay strong brown soft dry Mn/Fe nodules some staining			
17	17.5	weathered bedrock limestone moist			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 9-9-2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 2/1/2015 under the business name of RAZEK Environmental, LLC by (signature) *[Signature]*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>