WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Johnson	Fraction 5W 1/4 S & 1/4 S W 1/4 S & 1/4	Section Number Township No. Range Number 25 T 12 S R 24 E W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:		
from nearest town or intersection: If at	owner's address, check here .	Latitude:
Former Quicktrip #243C		Flevation: 1057 (GH (TOC)
9200 Santa Fe Drive, Overland Park, KS		<u>Datum</u> :
	rip Corporation outh 129th East Avenue	Collection Method: GPS unit (Make/Model:)
City, State, ZIP Code : Tulsa, OK 74134		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
Tuisu.		Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL) <u>ft</u>
SECTION BOX: Depth(s) Groundwater Encountered (1) St. Y ft. (2).N/A ft. (3).N/A ft.		
WELL'S STATIC WATER LEVEL. Or		
' Pet vield N	/A gpm Well water was N/A	tt. after N/A hours pumping N/A gpm tt. after N/A hours pumping N/A gpm
W		
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well		
Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW		
Was a chemical/bacteriological sample submitted to Department? Yes No		
s If yes, mo/day/yr sample was submitted. N/A		
1 mile Water well disinfected? ☐ Yes ☑ No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2		
Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to NA ft.		
From N/A ft to N/A ft From N/A ft to N/A ft		
GRAVEL PACK INTERVALS: From N/A ft. to N/A ft. to N/A ft. to N/A ft. to N/A ft. ft. From N/A ft. to N/A ft. From N/A ft. ft. ft.		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 - 2 feet Grout Intervals: From 2 ft. to N/A ft., From N/A ft., From N/A ft.		
What is the nearest source of possible contamination:		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well		
Direction from well 50 -+ \		
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0.5 2 Silax clay for	L brown	
	Stiff plastic	
2 10 " " light brown		
oxide streaking and nodules		
NOT SUFE		
Huger refusal	0,000	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was 7 constructed or 7 plugged		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .10-9-2014 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/dap/year). 10-26-2014		
under the business name of RAZEK Environmental, LLC by (signature) by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		