WATER WELL RECORD	Form WWC-5	Division of Water	r Resources App. No	o.	
1 LOCATION OF WATER WELL:	Fraction	Section Number		Range Number	
County: Johnson	SW4 SE4SW4 SE 4	25	T 12 S	R 24 <b>[</b> Z]E □W	
Street/Rural Address of Well Location;		Global Positioning	System (GPS) in	ıformation:	
from nearest town or intersection: If at o	Latitude: (in decimal degrees)				
Former Quicktrip #243C		Global Positioning System (GPS) information: Latitude:			
9200 Santa Fe Drive, Overland Park, KS		Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: QuickTrip Corporation		Collection Method:			
RR#, Street Address, Box #: 4705 South 129th East Avenue		GPS unit (Make/Model:)			
City, State, ZIP Code : Tulsa, OK 74134		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey			
		Est. Accuracy:  <	$3 \text{ m}, \square 3-5 \text{ m}, \square$	5-15 m,  >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL  1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)					
N WELL'S STAT					
Pumn	Pump test data: Well water was N/A				
EST YIELD N/A gpm. Well water was N/A ft. after N/A hours pumping N/A gpm					
NW NE	w   NW   E   Bore Hole Diameter 8.25 in. to 1.5 ft., and N/A in. to N/A ft.				
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well					
Domestic					
Was a chemical/bacteriological sample submitted to Department?   Yes   No					
S If yes, mo/day/yr sample was submitted N/A					
mile  Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Stee	PVC Dther				
CASING IOINTS:  Glued  Clamped  Welded  Threaded					
Casing diameter 2 in. to					
Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel					
☐ Steel     ☐ Stainless Steel     ☐ PVC     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From					
SCREEN-PERFORATED INTERVALS: From					
From. WA					
From N/A ft to N/A ft, From N/A ft to N/A ft.  GRAVEL PACK INTERVALS: From N/A ft to N/A ft.  From N/A ft to N/A ft, From N/A ft to N/A ft.  From N/A ft to N/A ft. From N/A ft to N/A ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 - 2 feet					
Grout Intervals: From 2 ft. to					
What is the nearest source of possible contamination:					
Septic tank					
Sewer lines Cesspool	Sewage lagoon  Fuel storage		l water well		
Watertight sewer lines Seepage p		~ ~ ~	is well	,	
Direction from well 605	Distance			ICCINC INTERVALC	
FROM TO LITHOLOG		TO LITHO. LO	JG (cont.) or PLC	JGGING INTERVALS	
0 15 Crass, 70001	1 scord				
	Ly promo gla				
	57:6				
Very Stiff.	oxide nodules				
137 311)					
Luca relies	a 9.5'on				
	370,00				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) 10-9-2014 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No759 This Water Well Record was completed on moday/year 10-26-2014					
under the business name of RAZEK Env	rironmental, LLC	. by (signature)	L. J V	to the	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the orrect answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					

http://www.kdheks.gov/waterwell/index.html