KOLAR Document ID: 1371712

WATER WELL RE		WWC-5		ision of Water		Well ID	
Original Record C I LOCATION OF WAY		ge in Well Use Fraction		urces App. Not tion Number			ge Number
County:			1/4	i C			$\Box E \Box W$
county.				et or Rural Address where well is located (if unknown, distance and			
Business:			direction from 1	nearest town or	intersection): If at owne	r's address, c	check here:
Address: Address:							
City:	State:	ZIP:					
3 LOCATE WELL		MPLETED WELL:	f4	5 T . 414	J		
WITH "X" IN		Encountered: 1)			de: tude:		
SECTION BOX:		3) ft., or 4)			\square WGS 84 \square NA		AD 27
		ATER LEVEL:		Source for Latitude/Longitude:			
		e, measured on (mo-day-y		☐ GPS (unit make/model:			
NW NE		e, measured on (mo-day-y water was ft.			_ (WAAS enabled? nd Survey □ Topogr		0)
W X E	-	rs pumping			lline Mapper:		
SW SE		water was ft					
		rs pumping g	gpm	6 Elevat	ion :ft	Ground	Level 🗆 TOC
	Estimated Yield: Bore Hole Diameter:	gpm in. to	ft and	Source: Land Survey GPS Topographic Map			
1 mile		in. to			□ Other		
7 WELL WATER TO B							
1. Domestic:		ater Supply: well ID			Field Water Supply: 1		
☐ Household ☐ Lawn & Garden		ng: how many wells? Recharge: well ID			ole: well ID		
		ng: well ID			Cased Uncased Geotechnical 12. Geothermal: how many bores?		
2. Irrigation	9. Environmen	tal Remediation: well ID		a) Clo	sed Loop 🔲 Horizon	tal 🗌 Verti	cal
3. Feedlot	\Box Air Sparg		xtraction		en Loop 🔲 Surface Di		
4. Industrial		5			ner (specify):		
Was a chemical/bacterio Water well disinfected?		mitted to KDHE?	les ∐ No	If yes, date	sample was submitte	ed:	
8 TYPE OF CASING U		$IC \square Other$	CASI	JG IOINTS:		d □ Welded	I 🗆 Threaded
Casing diameter							
Casing height above land sur	face i	n. Weight			ness or gauge No		
TYPE OF SCREEN OR P							
☐ Steel ☐ Stainles ☐ Brass ☐ Galvan			ed (open hole		er (Specify)	•••••	
SCREEN OR PERFORA			ieu (open noie	<i>(</i>)			
			rch Cut 🔲 D		Other (Specify)		
	Key Punched			one (Open Ho			
SCREEN-PERFORATED							
9 GROUT MATERIAL		$\frac{m \dots ft. to \dots}{Cement grout} \Box Ber$					
Grout Intervals: From		0					
Nearest source of possible c	contamination:						
Septic Tank	Lateral Lin			Livestock Per		cide Storage	37.11
 Sewer Lines Watertight Sewer Lines 	Cess Pool	t Sewage Lag		Fuel Storage Fertilizer Stor		oned Water V ell/Gas Well	well
Other (Specify)				i erunzer stor			
Direction from well?							
10 FROM TO	LITHOLO	GIC LOG	FROM	TO	LITHO. LOG (cont.) of	PLUGGIN	G INTERVALS
			Notes:				
			4				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No							
juniou on and	was completed on (*** ** =			5	
Kansas Water Well Contra	actor's License No.	This Wat	ter Well Rec	ord was com	pleted on (mo-day-y	ear)	•••••
Kansas Water Well Contra under the business name o Ser KS Department of Health and	actor's License No. <u>of</u> nd one copy to WATER V	WELL OWNER and retain on	ter Well Rec	ord was com	pleted on (mo-day-y 00 for each <u>constructed</u> we	ear)	· · · · · · · · · · · · · · · · · · ·

Form	WWC5	
Contractor	Associated Drilling, Inc.	
Well Owner		
Doc ID	1371712	

Litholgy

From	То	LithologicLog	
0	8	Limestone, weathered	
8	9	Limestone	
9	11	Shale, gray	
11	13	Limestone	
13	15	Limestone, weathered	
15	17	Limestone	
17	18	Void	
18	19	Shale, gray	
19	22	Limestone	
22	24	Shale, trash, Fill	
24	27	Clay	
27	30	Limestone, weathered	
30	32	Limestone	
32	39	Shale, tan	
39	48	Limestone	
48	52	Shale, gray	
52	75	Limestone	
75	118	Shale, gray	
118	124	Limestone	
124	129	Shale, dark gray	
129	130	Limestone	
130	138	Shale, gray	
138	140	Limestone bedded with shale	
140	144	Shale, gray	

Form	WWC5	
Contractor	Associated Drilling, Inc.	
Well Owner		
Doc ID	1371712	

Litholgy

From	То	LithologicLog
144	152	Limestone
152	160	Shale, gray
160	162	Limestone-soft
162	166	Limestone-hard
166	171	Shale, gray w/Limestone bed
171	175	Limestone
175	186	Shale, gray
186	187	Limestone
187	195	Shale, gray
195	196	Limestone-soft
196	215	Limestone-hard