

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number																																				
County: Johnson		NW ¼ SW ¼ ¼	22	T 12 S	R 25 EW																																				
Distance and direction from nearest town or city street address of well if located within city? 3515 W. 75th Prairie Village																																									
2 WATER WELL OWNER: Standard Oil Co. Amoco Oil Company RR#, St. Address, Box #: 114 E. Armour Blvd. City, State, ZIP Code: Kansas City, MO 64141 Board of Agriculture, Division of Water Resources Application Number:																																									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 12.8' ft. ELEVATION:																																							
<p>Diagram of a section box divided into four quadrants: NW, NE, SW, and SE. An 'X' is marked in the SW quadrant.</p>		Depth(s) Groundwater Encountered 1. N/A ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . ft. below land surface measured on mo/day/yr Pump test data: Well water was . ft. after . hours pumping gpm Est. Yield . gpm: Well water was . ft. after . hours pumping gpm Bore Hole Diameter . 6.5 in. to . ft., and . in. to . ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes.....No...X..... If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No																																							
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped . 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . Threaded . X Blank casing diameter . 2 in. to . 2.3 in. Dia . in. to . ft. Dia . in. to . ft. Dia . in. to . ft. Dia . in. to . ft. Casing height above land surface . 5 in. weight lbs./ft. Wall thickness or gauge No. SCH. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From . 2.5 ft. to . 12.5 ft. From . ft. to . ft. From . ft. to . ft. From . ft. to . ft. GRAVEL PACK INTERVALS: From . 1.8 ft. to . 12.8 ft. From . ft. to . ft. From . ft. to . ft. From . ft. to . ft.																																									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: 3 From . 0.3 ft. to . 1.8 ft. 2 From . 0.5 ft. to . 0.8 ft. From . ft. to . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet?																																									
<table border="1"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th></tr></thead><tbody><tr><td>0.0</td><td>1.0</td><td>3" Asphalt, Gravel</td><td></td><td></td><td></td></tr><tr><td>1.0</td><td>4.0</td><td>Dark Gray Lean Clay</td><td></td><td></td><td></td></tr><tr><td>4.0</td><td>7.0</td><td>Mottled Brown and Gray lean Clay</td><td></td><td></td><td></td></tr><tr><td>7.0</td><td>12.8</td><td>Yellow Brown Highly Weathered Shale</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>EOB @ 12.8'</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	0.0	1.0	3" Asphalt, Gravel				1.0	4.0	Dark Gray Lean Clay				4.0	7.0	Mottled Brown and Gray lean Clay				7.0	12.8	Yellow Brown Highly Weathered Shale						EOB @ 12.8'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG																																				
0.0	1.0	3" Asphalt, Gravel																																							
1.0	4.0	Dark Gray Lean Clay																																							
4.0	7.0	Mottled Brown and Gray lean Clay																																							
7.0	12.8	Yellow Brown Highly Weathered Shale																																							
		EOB @ 12.8'																																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-23-86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/year) 6-9-86 under the business name of Terracon Consultants, Inc. by (signature)																																									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.																																									