

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number																		
County: <u>Johnson</u>		<u>NW ¼ SW ¼ NE ¼</u>	<u>30</u>	<u>T 12 S</u>	<u>R 25 E</u>																		
Distance and direction from nearest town or city street address of well if located within city? <u>8130 Santa Fe Drive, Overland Park</u>																							
2 WATER WELL OWNER:		<u>Texaco USA</u>		<u>MW-8</u>																			
RR#, St. Address, Box # :		<u>8620 West 110th Suite 200</u>		Board of Agriculture, Division of Water Resources																			
City, State, ZIP Code :		<u>Overland Park KS 66201</u>		Application Number:																			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>16</u> ft. ELEVATION:																					
		Depth(s) Groundwater Encountered 1. <u>8</u> ft. 2. _____ ft. 3. _____ ft.																					
		WELL'S STATIC WATER LEVEL <u>2.9</u> ft. below land surface measured on mo/day/yr <u>3-15-90</u>																					
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm																					
		Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm																					
		Bore Hole Diameter <u>7.25</u> in. to _____ ft., and _____ in. to _____ ft.																					
		WELL WATER TO BE USED AS:																					
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u>																					
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____																					
		Water Well Disinfected? Yes _____ No <u>X</u>																					
5 TYPE OF BLANK CASING USED:																							
1 Steel		3 RMP (SR)		CASING JOINTS: Glued _____ Clamped _____																			
<u>2 PVC</u>		4 ABS		Welded _____ Threaded <u>X</u>																			
Blank casing diameter _____ in. to <u>4</u> in. Dia <u>3</u> ft.		6 Asbestos-Cement		7 Fiberglass																			
Casing height above land surface _____ in. weight _____ lbs./ft.		9 Other (specify below)		Wall thickness or gauge No. <u>sch 40</u>																			
TYPE OF SCREEN OR PERFORATION MATERIAL:																							
1 Steel		3 Stainless steel		5 Fiberglass																			
2 Brass		4 Galvanized steel		6 Concrete tile																			
SCREEN OR PERFORATION OPENINGS ARE:		7 RMP (SR)		8 ABS																			
1 Continuous slot		<u>3 Mill slot</u>		5 Gauzed wrapped																			
2 Louvered shutter		4 Key punched		6 Wire wrapped																			
SCREEN-PERFORATED INTERVALS:		From <u>3</u> ft. to <u>16</u> ft.		7 Torch cut																			
GRAVEL PACK INTERVALS:		From <u>2</u> ft. to <u>16</u> ft.		8 Saw cut																			
		From _____ ft. to _____ ft.		9 Drilled holes																			
		From _____ ft. to _____ ft.		10 Other (specify) _____																			
		From _____ ft. to _____ ft.		11 None (open hole)																			
6 GROUT MATERIAL:																							
1 Neat cement		<u>2 Cement grout</u>		<u>3 Bentonite</u>																			
Grout Intervals: From <u>0</u> ft. to <u>1</u> ft.		From <u>1</u> ft. to <u>2</u> ft.		4 Other _____																			
What is the nearest source of possible contamination:																							
1 Septic tank		4 Lateral lines		7 Pit privy																			
2 Sewer lines		5 Cess pool		8 Sewage lagoon																			
3 Watertight sewer lines		6 Seepage pit		9 Feedyard																			
Direction from well? <u>South East</u>		How many feet? <u>10</u>		10 Livestock pens																			
				11 Fuel storage																			
				12 Fertilizer storage																			
				13 Insecticide storage																			
				14 Abandoned water well																			
				15 Oil well/Gas well																			
				16 Other (specify below)																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td><u>0</u></td> <td><u>15.5</u></td> <td><u>Brown, fine sandy CLAY</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td><u>15.5</u></td> <td><u>16</u></td> <td><u>Limestone</u></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	<u>0</u>	<u>15.5</u>	<u>Brown, fine sandy CLAY</u>				<u>15.5</u>	<u>16</u>	<u>Limestone</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																		
<u>0</u>	<u>15.5</u>	<u>Brown, fine sandy CLAY</u>																					
<u>15.5</u>	<u>16</u>	<u>Limestone</u>																					
Casing height and grout variance granted, RECEIVED MAR 30 1990 DIVISION OF ENVIRONMENT																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-10-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>517</u> This Water Well Record was completed on (mo/day/yr) <u>3/26/90</u> under the business name of <u>Groundwater Tech, Inc.</u> by (signature) <u>[Signature]</u>																							