WATER WELL REC	ORD	Form WWC				sources; App. No.∟	
1 LOCATION OF WATER WELL:		Fraction	ا	Section N		wnship Number	
Distance and direction from nearest town or cit		NETA NE 1/4	DE 1/4	34		12 s	R 25 (B) W
	from nearest town or cit	ty street address of w	ell if G			tems (decimal degr	rees, min. of 4 digits)
located within city?	nd St Leaven			Latitude			
2016 W. 92	K5 66206 Longitude:						
2 WATER WELL OW	ees 92nd Street		Elevation	n:			
RR#, St. Address, Box	12 nd Street Datum:						
City, State, ZIP Code	' / 1	110 1.1 961	1	Data Co	llection Met	hod:	The state of the s
3 LOCATE WELL'S	4 DEPTH OF COMP	TETED WELL	4	00	ft A	1110	01
LOCATION	Plug	ged			9	1.400 Bores	rrugged
WITH AN "X" IN	Depth(s) Groundwater	Encountered (1)	None	ft.	(2)	ft. (3)	ft.
SECTION BOX:	Depth(s) Groundwater Encountered (1). None. ft. (2). ft. (3). ft. WELL'S STATIC WATER LEVEL. None. ft. below land surface measured on mo/day/yr. ft.						
N	Pump test data: Well water wasft. after hours pumping gpm						
<u> </u>	Est. Yieldgpm: Well water wasft. after hours pumpinggpm						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
[-NW							
W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 13 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
	J			3 ,		He	at Pump
SW SE 93	Was a chemical/bacter	iological sample subr	nitted to D	enartmer	nt? Yes	No X :	If ves. mo/dav/vrs
75	Sample was submitted						
s .5	Sample was sasimized	• • • • • • • • • • • • • • • • • • • •	,, a.c.	Well dist	mooted. Tes	711111111 110 19411	•••
	CED. 5 W 1.4	0.0	4. 431.		CACDIC IO	DITC. CL. 1	C11
5 TYPE OF CASING US		fron 8 Conc	crete tile	1	CASING JO	INIS: Glued	Clamped
1 Steel 3 RMP	(SR) 6 Asbestos-	Cement 9 Othe	r (specify t	below)			Fusian
2 PVC 4 ABS Blank casing diameter	/ Fiberglass		•••••••••••••••••••••••••••••••••••••••			Threaded	
Blank casing diameter?	: in. to	ft., Diameter	m	. to	It., Dia	meter	in. tott.
Casing height and surface							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: None 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
	4 Key punched 6 W						
SCREEN-PERFORATED							
CDAVEL BACK	From	ft. to .		π.,	From	π. το	II.
GRAVEL PACK	INTERVALS: From.						
	From	ft. to .	• • • • • • • • • • • • • • • • • • • •	It.,	From	It. to	n.
6 GROUT MATERIAL	1 Neat cement 2 (Cement grout 3 Be	ntonite	1 Other			
Grout Intervals: From	n 400 ft. to 3	ft From	ficinity of	tonici	ft Er		ft to ft
What is the nearest source	of possible contamination	ion:	1			OIII	11. 1011.
1 Septic tank	4 Lateral lines		10 Livesto	ck none	13 Insection	cide storage	16 Other (specify
2 Sewer lines			Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify Sewage lagoon 11 Fuel storage 14 Abandoned water well below)				
Watertight sewer 1							
Direction from well?						ii/gas weii .	
			How many				
	LITHOLOGIC		FROM	TO		PLUGGING INTI	EKVALS
	+clay > 97-10		314	345	Shale }	2 1/2 - /	^ ^/
12 25 lim			345	349	line	2-400	Bores Plugge
25 31 Shall			349	355	Shake	L	
37 39 lime	(139-15	56 line	355	357	line		
39 50 Shall		,6 Shale	357	366	Shale	1400'-3' F	ligh Solid
50 55 lime	166-17	77 lime	366	369	lime		Bentonite
55 63 Sha			369	374	Shale		
$63 \mid 73 \mid 1 \mid 65$		1	374	383	Time.	(
73 95 Sha			383	397	Shale	1	
73 95 Jhal 95 97 lime		y Sand	397	400		1	
7 CONTRACTOR'S OR						d (2) reconstruct	ed or 3 plugged
under my jurisdiction and							
Kansas Water Well Contra							
						_ : : -	
under the business name o INSTRUCTIONS: Use typewr	iter or hall point non DELTA	SE PRESS EIDAN V and I	DY		re)		rrange Cand to-
three copies to Kansas Departme							
	WATER WELL OWN						
http://www.kdheks.gov/waterwel			-				