CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Dickinson Location changed to:
Section-Township-Range: 24-12 5-4E	24-125-3E
Fraction (1/4 1/4 1/4): SW NW NW	SW NW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal descrip	tions, and mapping tool \$
	initials: DR4 date: 3/19/2012

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

	County Fraction Section number		number	Township number	Range number		
1. Location of well:	Dickinson	SW 1/4 NW 1/4 NV	N 1/4	1/4 24		T 12 s	R 4 (E)W
	ection from necrest town or city: 2 mi N, 2	2 W Chapman	R.R. or	er of well street: tate, zip c		Bill Chamberlin R.R. 2 Chapman, Kansas	
4. Locate with "X"	in section below: N	Sketch map:	WELL			6. Bore hole dia. ———8—— in Well depth <u>86</u> ft.	. Completion days.
X NW	NE E	W.C.F.	7			8. Use: X Domestic P	Bored Reverse rotary ublic supply Industry ir conditioning Stock iif field water Other
1	s control of the state of the s	STINE OF 150'	416	L\		Threoded Welded _g1 RMP PVC _X Dia. 5_ in. to _86_ ft. dep	Surfacelbs./ftlbs./ft. oth!Wall Thick@ss: inches or
5. Type and color o				From	То	Dia in. to ft. dep 10 Screen: Manufacturer's	nome
Limeston e			0	1	Western Plastics		
	Shale			1	7	Slot/gauze_3/32Length _40 ! Set between46ft. and86ft.	
	Brown clay and	shale		7	21	ft. andft. Gravel pack (16 to 3/8)	
Limestone			21	30	11. Static water level: mo./day/yr. 49		
Limestone and flint			30	37	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.		
Hard limestone (lost water)			37	50	ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Yellow clay Red clay			50	60	13. Water sample submitted: mo./day/yr. Yes X No Date		
			60	86	14. Well head completion:	8 Inches above grade	
					15. Well grouted? Yes	Bentonite Concrete	
						ft. 150' Direction A	e contamination: Ald
						Well disinfected upon compl 17. Pump: Manufacturer's name Model number	X Not installed ,
	(I) ka a sarand	sheet if needed)				Length of drop pipe Type: Submersible Jet Centrifugal	ft. capacity g.p.m Turbine Reciprocating Other
Topography: Hill Slope Upland Valley	(Use a second sheet if needed) 19. Remarks:				20. Water well contractor's	certification: ny jurisdiction and this report whedge and belief. ng Co. 19/1 License No. Kans. 67/129	