CORRECTION(S) TO WATER WEL	
(to rectify lacking or incorrect	information) County: Dickinson
Location listed as:	Location changed to:
Section-Township-Range: $24-125-4E$ Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SW SE	24-125-3E
Fraction (1/4 1/4 1/4): SW SW SE	SW SW SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal desc	riptions, and mapping tool

initials: DRL date: 3/19/20/2

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

on KGS website

				R WELL RECORD	Form WWC-5				
-	ON OF WAT		Fraction			tion Numbe			Range Number
	<u>ckinso</u>		SW 1/4		SE 1/4	24	<u>т 12</u>	S	R 4 E***
			•	ddress of well if loca	•		1	T-7	
l mi	.le Wes	st of Cha	ipman, Ks	on Hwy 40	& 1 mile	Nort	$1 & \frac{2}{2} \text{ mile}$	west	
_			Hambright						
		# :204 S						•	Division of Water Resources
				nsas 67441					
LOCATE	: WELL'S LO IN SECTION	CATION WITH							
AN A	N SECTION	, DOX.	, , ,						3
ī	!	!!!	1						4 . / 21 / 9.9
_	- NW	NE							ımping gpm
	i I								ımping gpm
<u>•</u> w ├		[ı. to
₹ "	! !	! []		O BE USED AS:	5 Public wate		•		•
ī L	_ swl	SE	1 Domestic	_					Other (Specify below)
	- 311 1	;	2 Irrigation		-	•			
↓ L		*	Was a chemical/b	pacteriological sample	e submitted to De				, mo/day/yr sample was sub-
_			mitted				ater Well Disinfecte		
5 TYPE C	F BLANK C	ASING USED:		5 Wrought iron				INTS: Glue	d* Clamped
1 Ste	eel	3 RMP (SI	R)	6 Asbestos-Cemer		(specify belo			led
_2 PV	C _	4 ABS	4.4.	7 Fiberglass				Thre	aded
									in. to ft.
•	-			.in., weight	1 6.0	lbs	s./ft. Wall thickness	or gauge N	lo • 2.1 <u>4</u>
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:		7 PV			estos-cem	ent
1 Ste	el	3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)
2 Bra	ass	4 Galvaniz	zed steel	6 Concrete tile	9 AB	S	12 Nor	ne used (op	oen hole)
SCREEN (OR PERFOR	RATION OPENIN	IGS ARE:	5 Ga	uzed wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	t <u>3 M</u>	Aill slot	6 Wir	e wrapped		9 Drilled holes		
2 Lo	uvered shutt	er 4 K	(ey punched		rch cut				
SCREEN-F	PERFORATE	D INTERVALS:							toft.
									toft.
G	RAVEL PA	CK INTERVALS:	: From						toft.
			From	ft. to		ft., Fr	om	ft.	to ft.
6 GROUT	MATERIAL		cement	2 Cement grout	3 Bento	nite	4 Other		
Grout Inter	vals: From	n 3	.ft. to 2	5 ft., From	ft.	to	ft., From		ft. toft.
What is the	e nearest so	urce of possible	contamination:			10 Live	estock pens	14 <i>A</i>	Abandoned water well
1 Se	ptic tank	4 Later	ral lines	7 Pit privy			el storage		Oil well/Gas well
2 Se	wer lines	5 Cess	s pool	8 Sewage la	agoon	12 Fer	tilizer storage	16 (Other (specify below)
3 Wa	atertight sew	er lines 6 Seep	• •	9 Feedyard			ecticide storage		
Direction f	rom well?	SOUTI		<u>will</u>			any feet? 100	الماماماة المار	
FROM	TO		LITHOLOGIC	LOG	FROM	то			INTERVALS
0	1	DAEK TOP	P SOIL		138	140	GRAY HARD	LIME	STONE
1	4		LOR LIMES	PONE					
4	19		LOR SHALE						
19	22		RED SHALE	MIXED					
22	34	RED SHAI							
34	38	LITE GRA							
3.8	58		LOR LIMES						
58	68	LITE COI	LOR SHALE	& LITE GR	AY SHALE	MIXED			
68	70	HARD LIT	re color i	LIMESTONE					
70	81	LITE COL	LOR SHALE						
81	106	RED SHAI	LE						- N-
106			LOR CLAY 8	SHALE					
109			LOR LIMES						
123	127	GRAY LIM	MESTONE &	MIXED SHA	LE				
. 127		GRAY SHA				l			
				ON: This water well	was (1) constru	cted, (2) re	constructed, or (3)	plugged un	der my jurisdiction and was
									nowledge and belief. Kansas
							d on (mo/day/yr) 4.		
		3 E1001130 140		Inis water	TTON TICOONG THE	io complete	a an (a.a.). j. j		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
under the					***************************************		nature) Hara	ld D	Martin
INSTRU	business na	me of CENTR.	AL KANSAS	DRILLING	Please fill in blanks,	by (sign	cle the correct answers.	Send top three	Martin copies to Kansas Department