## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Heolth and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	Dickinson	SW 1/4 SW 1/4 NE	1/4	30	)	т 12 s	R 4	(E)W	
2. Distance and direction from nearest town or city: 3/4 mile north  Street address of well location if in city: of Chapman  R.R. or s				er of well:		Gordon Farmer 218 E. 5th Chpaman, Kansas 67431			
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 8 in. Completion date  Well depth			
Drilled in pasture						7. X Cable tool _ Rotary _ Driven _ Dug _ Hollow rod _ Jetted _ Bored _ Reverse rotary			
E E E E E E E E E E E E E E E E E E E						8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other			
S 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						9. Casing: Material <u>past</u> Height: Above or <b>Beton</b> Threaded Welded _gl_   Surface 18 in.  RMPX			
1 Mile → 1  5. Type and color of material				From	То	Dia in. to ft. depth gage No 258			
Fine sand and dirt				0	8	10. Screen: Manufacturer's name Western Plastics Type RMP Dia.			
Limestone and flint				8	2].	TypeRMP			
Yellow clay and limestone				21	33	ft. and ft.  Gravel pack? YES Size range of material 1/16to3/8  11. Static water level: mo./day/yr.  85 ft. below lond surface Date 6/22/77  12. Pumping level below land surfaces:  ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.  13. Water sample submitted: mo./day/yr.  Yes X No Date  14. Well head completion:  Pitless adapter 18 Inches above grade  15. Well grouted? Yes  With: X Neat cement Bentonite Concrete  Depth: From 1 ft. to 1 ft.  16. Nearest source of possible contamination:  ft. 300 Direction West TypeSeptic			
Flint rockand limestone			33	36					
Yellow hard clay			36	45					
Red clay				45	61				
Clay, light green & grayish & yellow				61	71				
Limestone and flint rock				71	85				
Yellow glay				85	91				
Soft limestone				91	100				
Gray shale			100	116					
					Well disinfected upon complet		No		
						Manufacturer's name			
								_g.p.m.   €(r	
						Submersible	Turbin	e ocating	
(Use a second sheet if needed)						Centrifugal	Other		
18. Elevatian:	19. Remarks:					20. Water well contractor's ce This well was drilled under my		s report	
Topography: HIII X Slape						Rader Drilling Business name Address Carlton,	ng Co. J	194 19429°.	
Upland Valley		John Marie Committee Commi				Signed Brand E K. Authorized repre	Date Date	8-12-20	

Forward the white, blue and pink capies to the Department of Health and Environment

Form WWC-5