


1 LOCATION OF WATER WELL: County: Dickinson Fraction:  $\frac{1}{4}$  NE  $\frac{1}{4}$  NW Section Number: 30 Township Number: T 12 S Range Number: R 4 E

Distance and direction from nearest town or city street address of well if located within city? From Chapman 60 1 mile north on State 206 1/2 mile west on Apache Road

2 WATER WELL OWNER: Bob Wright  
 RR#, St. Address, Box #: RR#2 Box 92A  
 City, State, ZIP Code: Chapman, Kansas 67431  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 136 ft. ELEVATION:  
 Depth(s) Groundwater Encountered: 1. 10.5 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 102 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 30 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 in. to 1.40 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No..... If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  6 Asbestos-Cement  9 Other (specify below)  
 2 PVC  4 ABS  7 Fiberglass  
 Blank casing diameter: 5 in. to 1.36 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: 2' in., weight 54.40 lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  7 PVC  10 Asbestos-cement  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  11 Other (specify) ..  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 3/1000's  
 1 Continuous slot  3 Mill slot  5 Gauzed wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  6 Wire wrapped  9 Drilled holes  
 7 Torch cut  10 Other (specify) ..  
 SCREEN-PERFORATED INTERVALS: From 116 ft. to 136 ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 15 ft. to 140 ft., From ft. to ft.

6 GROUT MATERIAL:  Neat cement  2 Cement grout  3 Bentonite  4 Other ..  
 Grout Intervals: From 5 ft. to 15 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination: None Close  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	27	Sandy clay			
27	31	Rock			
31	34	Shale			
34	36	Rock			
36	51	Green Shale			
51	62	Rock			
62	83	Shale			
83	103	Rock			
103	105	Shale			
105	111	Rock			
111	118	Shale			
118	122	Rock			
122	125	Shale			
125	135	Rock			
135	140'	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed,  (2) reconstructed, or  (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/13/86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 457 This Water Well Record was completed on (mo/day/yr) 9/15/86  
 under the business name of Haldeman Well Drilling by (signature) Craig Haldeman

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY