

1 LOCATION OF WATER WELL: County: Dickinson	Fraction NW 1/4 NE 1/4 NE 1/4	Section Number 30	Township Number T 12 S	Range Number R 4 <b>(E/W)</b>
--	----------------------------------	----------------------	---------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?  
 3/4 mile North of Chapman, KS 18

2 WATER WELL OWNER: Fina Oil Co.  
 RR#, St. Address, Box # : Box 471245  
 City, State, ZIP Code : Tulsa, OK 74147

Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N

NW	NE
SW	SE

S

4 DEPTH OF COMPLETED WELL: 21.0 ft. ELEVATION: 1120.0 ft.

Depth(s) Groundwater Encountered 1. 9.5 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 9.5 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm Well water was ft. after hours pumping gpm

Bore Hole Diameter 7 in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No **X**

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
<b>2 PVC</b>	4 ABS	7 Fiberglass		Threaded <b>X</b>

Blank casing diameter 2 in. to 21.0 ft. Dia. in. to ft. Dia. in. to ft.

Casing height above land surface 0 in., weight .70 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	<b>3 Mill slot</b>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 7 ft. to 21 ft. From ft. to ft.

GRAVEL PACK INTERVALS: From 6 ft. to 21 ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite **4 Other Vol. clay**

Grout intervals: From 1 ft. to 6 ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	<b>11 Fuel storage</b>	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	<b>16 Other (specify below)</b>

Direction from well? How many feet? NW 417'

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0.0	2.9	Sand-fine, well sort, silty, dk brown, damp			
2.9	4.0	Clay-silty, sl sandy, brown, damp			
4.0	5.0	Sand-fine, well sort, silty, dk brown			
5.0	8.0	Clay-sl sandy, dk brown			
8.0	14.5	Clay-sl sandy, lt brown, very moist			
14.5	21.0	Sand-fine, sl silty, well sort, wet			
	21.0	Sand-BOH			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, (2) reconstructed, or (3) plugged (under) my jurisdiction and was completed on (mo/day/year) 11-30-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 415. This Water Well Record was completed on (mo/day/yr) 12-28-87 under the business name of Daniels Drilling Co. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY