


| | | | | |
|---|---|-----------------------------|----------------------------------|--------------------------------------|
| 1 LOCATION OF WATER WELL: County: <u>Geary</u> | Fraction <u>SE</u> 1/4 <u>SE</u> 1/4 <u>NE</u> 1/4 | Section Number <u>14</u> | Township Number T <u>12</u> S | Range Number R <u>5</u> <u>EW</u> |
|---|---|-----------------------------|----------------------------------|--------------------------------------|

Distance and direction from nearest town or city street address of well if located within city?
1128 S. Washington, Junction City, KS.

2 WATER WELL OWNER: Amoco Oil Co.
 RR#, St. Address, Box # : 1128 S. Washington
 City, State, ZIP Code : Junction City, KS.
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 40' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1.29' ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 319.6 ft. below land surface measured on mo/day/yr 10-29-96
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter 8 1/2" in. to 40' ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No X.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded X
 Blank casing diameter 2.375 in. to 24' ft., Dia in. to ft., Dia in. to SDR 1.3 ft.
 Casing height above land surface Flush Mt. in., weight lbs./ft. Wall thickness or gauge No. SCH 4.0
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 37' ft. to 24' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 40' ft. to 22' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 22' ft. to 4' ft., From 4' ft. to 0' ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage FURNER 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? North How many feet? 120'

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|-------|-------|--|------|----|--------------------|
| 0 | 4 | Grass-dk brn dry, hard, gravelly clay, no odor, ls, rx. gravel. | | | |
| 4 | 6 | Brn sandy silt, fine-coarse, no odor. | | | |
| 6 | 10.25 | Dk brn clay, tight, dry, no odor. | | | |
| 10.25 | 15 | Tan clayey silt-silty clay, soft. | | | |
| 15 | 18 | Brn silty clay-clay, firm-stiff. | | | |
| 18 | 22 | Tan silt, moist-wet at 18-19', very soft, no odor. | | | |
| 22 | 32 | Brn silty clay, moist-dry, no odor. | | | |
| 32 | 35.50 | Brn clayey silt, moist to wet, soft, no odor, | | | |
| 35.50 | 40 | Gray sand & gravelly clay to clayey gravel, wet, no odor, fine-very coarse sand, | | | |

Flush mt. OK'd by Don Taylor

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-13-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 10-31-96 under the business name of JB Environmental Drilling by (signature) James Bieker