(to rectify lacking or incorrect	
Location listed as:	County: Geary Location changed to:
Section-Township-Range: 16-125-4E	16-125-5E
Fraction (1/4 1/4 1/4): NENE	E2 NW NW
Other changes: Initial statements:	
Changed to:	
Comments: Current address of owner	is: 1012 Plains Dr.,
Junction City, KS 66441.	
verification method: Written & legal descript	ions, owner's current address
verification method: Written & legal descript	lotos on KGS website
	initials: 2 R date: 3/19/2012

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	WATE	R WELL RECORD F	orm WWC-5	KSA 82a-			
LOCATION OF WATER WELL:	Fraction	1/5 1/5		tion Number	Township Num		Range Number
stance and direction from nearest	town or city street a	7 1 1 - 7 7 7 8 8	1/4 within city?	16	T /ス	s L	R 🛠 (E)W
tance and direction from nearest	own or city street a	iddress of well it located	within City?				
WATER MELL CHANER.	co vis	114 00	m				
WATER WELL OWNER: #, St. Address, Box # :	rry Paq	48TIG241		_	Board of Agri	culture Di	vision of Water Resource
y, State, ZIP Code		ity Kansa	- 66	441	Application N		VISION OF TRACE MESOURCE
LOCATE WELL'S LOCATION WIT	THE DEPTH OF C		9 A	· / /			
AN "X" IN SECTION BOX:		water Encountered 1.					
	WELL'S STATIC	WATER LEVEL	7	olow land surf	ace measured on m	o/day/yr	Ont 15 9
		p test data: Well water					
NW NE		2 gpm: Well water					
	1	eter					
w 	F1		Public wate		B Air conditioning		jection well
_ i i	Domestic		Oil field wa		9 Dewatering		ther (Specify below)
SW SE	2 Irrigation				0 Observation well		,
	1	bacteriological sample su	-	•		7	no/day/yr sample was su
<u> </u>	mitted			•	er Well Disinfected?	•	No
TYPE OF BLANK CASING USED):	5 Wrought iron	8 Concre	ete tile	CASING JOINT	S: Glued	Clamped
1 Steel 3 RMP		6 Asbestos-Cement	9 Other	(specify below)	Welded	
PVC 4 ABS		7 Fiberglass				Thread	led
ank casing diameter 5	in. to .19.0) ft., Dia <u>.</u>	in. to		ft., Dia	in	. to fr
sing height above land surface		.in., weight	O	Ibs./f	t. Wall thickness or	gauge No.	
PE OF SCREEN OR PERFORAT	ION MATERIAL:	-	PV	С	10 Asbes	tos-cemen	t
1 Steel 3 Stainle	ess steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify) .	
2 Brass 4 Galva	nized steel	6 Concrete tile	9 AB	S	/ 12 None	used (oper	n hole)
REEN OR PERFORATION OPEN	IINGS ARE:	5 Gauze	wrapped	(8 Saw cut		11 None (open hole)
1 Continuous slot 3	Mill slot	6 Wire w	rapped		9 Drilled holes		
2 Louvered shutter 4	Key punched	7 Torch	. ^		` ' ' '		
REEN-PERFORATED INTERVAL	S: From	.7 <i>D</i> ft. to	•	=			
	From	• • • • • • • • • • • • • • • • • • •					
GRAVEL PACK INTERVAL	_ '	<i>1. O</i> ft. to	1.1.0.				
ODOUT MATERIAL A No.	From	ft. to		ft., Fron		ft. to	
	at cement	2 Cement grout	Bento		= :		
out Intervals: From O hat is the nearest source of possib		· it., FIOIII	11.	10 Livest			andoned water well
· ·	teral lines	7 Pit privy		11 Fuel s	•		well/Gas well
	ess pool	8 Sewage lago	าก		er storage		ner (specify below)
3 Watertight sewer lines 6 Se	•	9 Feedyard	2 11		icide storage	10 011	or (opcony bolow)
rection from well?	K	o i ocajala		How man	~ ~ ~ ~	0	
ROM TO	LITHOLOGIC	LOG	FROM	ТО		THOLOGIC	CLOG
0 19 Brow	W Clay Y	SAND					
19 35 Clau	, 7						
35 90 Vellow	Stale+L	inestone					
80 100 Gra	Shale						
00 120 Limest	ENC + Flin	of Layers					
		<u> </u>					
			ļ	ļ			
				-			
			-				
			-				
			ļ				
			L				
CONTRACTOR'S OR LANDOWN		ION: This water well wa	s(1) constru	cted, (2) reco	nstructed, or (3) plug	ged unde	r my jurisdiction and wa
mpleted on (mo/day/year) ?						of my know	wledge and belief. Kansa
ater Well Contractor's License No.		This Water We		_ '	· 20 1/.	Z3,X	7,,
der the business name of STRA	WERS BINL	- VALLEY DRI	LLINE		ure) Sitty	40 >	truder
STRUCTIONS: Use typewriter or b							
ree copies to Kansas Department of WNER and retain one for your rec		THEAL, DIVISION OF ENVIRONM	neni, Environi	mental Geolog	у эеспоп, торека, К	5 00020. S	erid one to WATEH WEL