			. VV/11501	WELL RECORD	=orm WWC-5	NOM O	2a-1212		
	ON OF WA		Fraction	A 9 6 A /	y . #	tion Numbe		umber Rang	e Number
	Geney			NE1/4 N	W 1/4	$z_{z_{-}}$	T 12	S R	5 (B)W
Distance a	ži –		4 ° A	dress of well if located	within city?				
	_ / M	ILE SOU.	th We	S/					*
2 WATE	R WELL OW	NER: Jenti	ronics	Inc					
RR#, St.	Address, Bo	(# : 235 L	incoln				Board of A	griculture, Division of V	Vater Resource
1	, ZIP Code	A Bloomed I	enter	Kansas	67432) ::::::::::::::::::::::::::::::::::::	Application		
LOCATI	E WELL'S L	OCATION WITH 4	DEPTH OF CO	MPLETED WELL	85	ft. ELEV	'ATION:		
AN X	IN SECTION	N BOX:	epth(s) Groundw	ater Encountered 1.		ft.	2	ft. 3	
7								mo/day/yr	
	- NW	1	Pump	test data: Well water	was	ft.	after	hours pumping	gpm
*	· · · · //// · · · · · ·	NE Es						hours pumping	
9	9	i Bo	re Hole Diamet	er g in. to .	85	, ft.	, and	in. to	
× w	1	STREET, STREET			5 Public wate		8 Air conditioning		
0	1		1 Domestic	3 Feedlot (Oil field was	ter supply	9 Dewatering	12 Other (Spec	cify below)
	SW	SE	2 Irrigation	Industrial	Z Lawn and g	arden only			
	9	n Wa	as a chemical/b					; If yes, mo/day/yr :	4
Ž, tem	nona ancesano antesano antesa Contra contra	กระบบการเหตุสานแกรกระบบการเกราะเกราะเกราะเกราะเกราะเกราะเกราะเก	tted				ater Well Disinfecte	- min	•
5 TYPE (OF BLANK (ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JO	NTS: Glued CI	amped
1 Ste		3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify bel		Welded	•
12PV	/C	4 450		7 Fiberglass			•	Threaded	
Blank casi	ng diameter		io. 45	. ft. Dia	in. to		ft Dia	Threaded	ft
Casing he	ight above la	and surface	24	n. weight Z	30	lb:	s./ft. Wall thickness	or gauge No	
		R PERFORATION N		,g	6-PPV			estos-cement	
1 Steel 3 Stainless steel				5 Fiberglass 8 RMP (SR)			11 Other (specify)		
2 Brass 4 Galvanized steel				6 Concrete tile 9 ABS			12 None used (open hole)		
		RATION OPENINGS			d wrapped		⊩∂ Saw cut		(open hole)
	ntinuous sic			6 Wire v			9 Drilled holes		(0,001111010)
	uvered shut		ounched	_a 7 Torch	cut		10 Other (specify	/)	
		ED INTERVALS:	From	45 ft. to	85	ft Fi	om	ft. to	
			From	ft to		ft Fi	om	ft to	ft
(GRAVEL PA	CK INTERVALS:	From	5 ft. to	85	ft Fr	om	ft. to	
			From	ft. to	-	ft., Fi			ft
6 GROUT	MATERIAL	: 1 Neat cem	nent , 2	: Cement grout	∦8 Bento	nite	4 Other		
Grout Inte	rvals: Fro	m O ft	to45.	ft., From	ft.	to	ft., From	ft. to	
What is th		urce of possible cor					estock pens	14 Abandoned v	
1 Septic tank 4 Lateral lines		ines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		ol	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
es w	atertight sew	er lineş 6 Seepage	ą pit	9 Feedyard		13 Ins	ecticide storage		
Direction f	rom well?	NORTH E	- 05 T			How m	any feet? "70		
FROM	то	/;	LITHOLOGIC L	OG	FROM	ТО	P	UGGING INTERVALS	
	38	CIAY							
38	48	GrayS	hale						
48	35	Lineston	e + Flin	* Compress					
							1		
7 00417	PACTORIC		OEDTIGOATIO	NI. This water wall		atod (0)			disting
7 CONTI	RACTOR'S	DR LANDOWNER'S	CERTIFICATIO	DN: This water well wa	as (1) constru			olugged under my juris	
completed	on (mo/day	/year) . !.0 .=.3	·÷.\$8		**************************************	and this re	cord is true to the be	est of my knowledge an	
completed Water We	on (mo/day ll Contractor	/year) . l.0 ≠ 3 s License No. 2 3	:\$8 :4 :5	This Water W	ell Record wa	and this re is complete	cord is true to the bod on (mo/day/yr) .	est of my knowledge an	
completed Water We under the	on (mo/day Il Contractor business na	year)	-88 4 % ERSBLUL	This Water W	ell Record wa	and this re as complete by (sign	cord is true to the bed on (mo/day/yr) . nature)	est of my knowledge an	d belief. Kansa