WATE	R WELL	RECORD	For	n WWC-	5 Div	ision of W	ater Reso	ources; App. No.										
1 LOCATION OF WATER WELL:			Fraction	NE	NE	Section N	lumber	Township Number	Range Number									
County: Geary NE 1/2 NE 1/2 NE 1/2 S R 5 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)																		
located within city? Latitude: N 39.02853°																		
539 W 6 th St, Junction City Longitude: W 96.83664°																		
2 WATER WELL OWNER: Leiszler Oil Co. Elevation: 1105.40 pin / 1105.01 toc																		
RR#, St. Address, Box # : 635 W Crawford Datum: Above mean sea level City, State, ZIP Code : Clay Center, KS 67432 Data Collection Method: legal survey																		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 50.25 ft.																		
LOCATON MW22																		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 36.21 ft. below land surface measured on mo/day/yr 2/26/08																		
	N	Pum	o test data:	Well wate	r was	ft	. after	hours pump	ing gpm									
	l x	Est. Yield	gpm:	Well water	r was	ft.	. after	hours pump	ing gom									
Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well																		
Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)																		
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well																		
S Sample was submitted Water Well Disinfected? Yes No X																		
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped																		
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded																		
2) PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 30.25 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.39 ft., Weight lbs./ft. Wall thickness or gauge No.																		
Blank casing diameter 2 in. to 30.25 ft., Dia in. to ft., Dia in. to ft.																		
Casing height below land surface 0.39 ft., Weight lbs./ft. Wall thickness or gauge No.																		
TYPE OF SCREEN OR PERFORATION MATERIAL:																		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)																		
INCREEN OR PERFORATION OPENINGS ARE:																		
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)																		
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)																		
SCREEN-PERFORATED INTERVALS: From 30.25 ft. to 50.25 ft. From ft. to ft.																		
SCREEN-PERFORATED INTERVALS: From 30.25 ft. to 50.25 ft. From ft. to ft.																		
GRAVEL PACK INTERVALS: From 29 ft. to 51 ft. From ft. to ft																		
From It. to It. From It. to It.																		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2'																		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2' Grout Intervals From 2 ft. to 29 ft. From ft. to ft. From ft. to ft.																		
What is the nearest source of possible contamination:																		
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify																		
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well																		
		Southwest	pit 7 recu	iyaru	How man			WOLL BUS WOLL										
<u> </u>			LOGIC LO	····	· • • • • • • • • • • • • • • • • • • •			LITHOLOGIC	LOG									
FROM 0	TO 0.5	Asphalt	LOGIC LO	<u>U</u>	FROM 20	TO 22	Sand	trace clay, brown, n										
5	7	Silty-clay, dark be	own to bla	ck, tight,	20			eum odor	10131, 110									
		moist, no petroleu		ick, tiging	25	27		lay with trace fine s	and, brown,									
10	12	Silty-clay, brown,	tight, mois	st, no				no petroleum odor										
		petroleum odor			30	32		lay with more fine s	and, brown,									
13		Silty-clay with fin				27		no petroleum odor	and hrown									
15	17	tight, moist, no pe Silty-clay with an			35	37		lay with more fine s no petroleum odor	anu, Di UWII,									
13	1/	grained sand, bro						nount waiver with B	Bureau of Water									
		petroleum odor																
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged																		
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 3/19/08																		
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 3/19/08 under the business name of Larsen & Associates, Inc. by (signature)																		
1						,		of Health and Environmen	nt Bureau of Water									
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send-one to WATER WELL OWNER and retain one for																		
your records	. Fee of \$5.00	for each constructed we	ll. Visit us at	http://www.kd	lheks.gov/wat	erwell.		7	your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									