WATER WELL RECORD Form WWC-5 Division of Water Resources; App. N									No.			
1 LOCATION OF WATER WELL: County: Geary			Fraction NE 4 NE 4			Sec	ction Nu	mber	Township	Number	Range Number R 5 E	
Distance a	nd direction	from nearest town	or city street	address of	of well if	Glob	bal Posi	tioning	System (d	ecimal degr	rees min of 4 digits)	
located wi	thin city?					Lat	titude:	N 39	.02881°		( a.g. (	
539 W 6 <sup>th</sup> St, Junction City Longitude: W 96.83756°												
2 WATER WELL OWNER: Leiszler Oil Co. Elevation: 1106.63 pin / 1106.31 toc												
RR#, St. Address, Box # : 635 W Crawford						Da	Datum: Above mean sea level					
City, State, ZIP Code : Clay Center, KS 67432 Data Collection Method: legal survey												
City, State, ZIP Code : Clay Center, KS 6/432   Data Collection Method: legal survey  3 LOCATE WELL'S   4 DEPTH OF COMPLETED WELL   50.25   ft.  LOCATON   MW24												
LOCA	TON						MW24					
WITH	AN "X" IN	Depth(s) Groun	ndwater Enco	ountered 1				ft. 2		ft. 3	ft. ay/yr <b>2/26/08</b>	
SECT	ION BOX:	WELL'S STAT	TIC WATER	LEVEL	39.81	ft. be	elow lar	nd surfa	ice measure	d on mo/d	ay/yr 2/26/08	
N Pump test data: Well water was ft. after hours pumping gpm												
X Est. Yield gpm: Well water was ft. after hours pumping gpm												
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well												
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)												
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (1) Monitoring well												
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs												
S Sample was submitted Water Well Disinfected? Yes No X  5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped												
5 TYPE	OF CASIN	G USED: 5	Wrought Iro	n	8 Conc	rete t	ile	CAS	ING JOINT	S: Glued	Clamped	
1 Ste	el 3	RMP(SR) 6	Asbestos-Co	ement	9 Othe	r (spe	cify bel	ow)		Welde	d	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  (2) PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 30.25 ft., Dia in. to ft., Dia in. to ft.											led X	
Blank casi	ng diameter	2 in. to	30.25 ft	., Dia		in. 1	to	ft.,	Dia	in.	to ft.	
Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)												
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFOR ATION OPENINGS ARE:												
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)												
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 30.25 ft. to 50.25 ft. From ft. to ft.												
SCREEN-	PERFORAT	ΓED INTERVALS:	From	30.25	ft. to_	5(	0.25	. ft. Fr	om	ft. to	o ft.	
			From		ft. to			nt. Fro	om	n. to	n.	
GRAVEL PACK INTERVALS: From 29 ft. to 51 ft. From ft. to								o ft.				
			From		ft. to			ft. Fr	om	ft. to	o ft.	
6 CPOI	T MATED	TAI · 1 Neat cen										
Grout Into	mole Fr	IAL: 1 Neat centrem 2 ft. to	20 A	Erom		ft to			From		ft to ft	
What is th	a maamaat aa	urce of possible cor	tomination:	110m		11. 10		IL.			11. 10	
		urce of possible con 4 Lateral lin			10 Live	stook	nonc	12 Ince	ecticide Stor	ra a a	16 Other (specify	
	tic tank er lines			e lagoon					andoned wa		below)	
		5 Cess pool r lines 6 Seepage p					_		well/ gas w		UCIO W)	
		r nnes o Seepage p Southwest	on 9 reedy	aru	How ma				well/ gas w	CII		
Direction					·	<u> </u>	et? ~34	4U				
FROM	TO	LITHO	LOGIC LOC	ì	FRO	M	TO			IOLOGIC		
0		Topsoil, silty-clay,			40						ace clay, brown,	
5		Silty-clay, gray-br						wet, pe	etroleum oc	ior		
		moist, hard drillin			<u> </u>							
10		Silty-clay, brown,										
		hard drilling, no p										
15		Silty-clay, trace fir			0							
		slightly moist, har	a drilling, n	0								
25		petroleum odor						Flura L	nount	on with D	umanu of Water	
35		Silty-clay, trace fir		wn, very				riusni	nount walv	er with B	ureau of Water	
moist, petroleum odor  7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed (2) reconstructed or (3) plugged												
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)  2/26/08  and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 757  This Water Well Record was completed on (morday/year) 3/19/08												
under the business name of Larsen & Associates, Inc. by (signature)												
1								1	of Hagleh and	Carries	t Duragu of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for												
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.												