KOLAR Document ID: 1475787

WATER V		ECORD Correction		WWC-5 e in Well Us	e			sion of Wate irces App. N			 Well	m [
1 LOCATI				Fraction				ion Numbe		Township Numb			ge Number
County:	011 01 111	TIER WE		1/4	1/4 1/4	4 1/4	БССП	ion i vanio		T S	R		□E □W
·					Street or	reet or Rural Address where well is located (if unknown, distance and							
Business:						direction f	rom ne	earest town or	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X		4 DEPTH					ft.						
SECTION	BOX:	Depth(s) Gr					11			e:			
N				3) TER LEVEL			211			WGS 84 □ NAI		_ N	AD 27
				measured o						<u>Latitude/Longitude</u> unit make/model:			,
NW X	- NE			measured o						WAAS enabled?			
	i	_		rater was ft.						Survey Topographic Map			
w	Е	after		s pumping gpm vater was ft.				☐ Online Mapper:					
SW -	- SE	aftar											
		Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOO				Level TOC	
S				gpm in. to ft. and				Source: Land Survey G			GPS [] To	pographic Map
1 mi	le			in. to						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househo				g: how man						: well ID			
☐ Lawn &☐ Livestoc				echarge: we g: well ID									
2. ☐ Irrigation													
3. ☐ Feedlot	1		Air Sparge		temediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industria	ıl		Recovery		njection					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to KI	OHE? □	Yes \square	No	If yes, date	e sar	nple was submitte	:d:		
Water well d					_	_		,		1			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		C	ASIN	G JOINTS	:	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			
Casing height						lbs	./ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			TION MA	ΓERIAL:						7 (6)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	used (open	holo)		ner (S	Specify)		• • • • • •	•••••
SCREEN OF	_		NINGS AI	RF.	☐ None	useu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	d □T	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H		(-1),			
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fr	om	ft. to	o	ft., From	ft	i. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. to													
				. ft., From	uras of so	. It. to		ft., From	••••	ft. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Talik ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertig	ht Sewer Line	es 🗆 S	Seepage Pit		Feedyard			ertilizer Sto					
☐ Other (Specify)													
					nce from w							313.16	S DIEEDII I G
10 FROM	TO		ITHOLOG	ilC LOG		FRO	M	TO	LH	HO. LOG (cont.) or	PLUGC	JINC	INTERVALS
													-
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	r Well Cont	tractor's Lice	ense No		. This W	ater Well	Reco	rd was cor	nple	ted on (mo-day-y	ear)		
under the bus	siness name	of	****	TT 1 0**				1 5 22		or each <u>constructed</u> we		<u></u>	
KS Departme	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER Vater, Geology	and retain Section 1	one for you 000 SW Jac	r record kson S	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	ell. 57. Telen	hone	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1475787

Litholgy

From	То	LithologicLog
0	.50	Grass, Topsoil
.50	5.0	Clay, Some Silt, 10yr 3/2, Damp, Soft, Low Plasticity
5.0	11.0	Clay, 10yr 4/2, Damp, Stiff, Plastic
11.0	14.0	Clay, 10yr 5/2, Damp, Stiff, Plastic
14.0	17.0	Clay, 10yr 5/2, Damp, Stiff, Plastic, Very Slight Odor
17.0	25.0	Clay, 10yr 5/2, Damp, Stiff, Plastic, Wet in Fractures @ 17.0
25.0	28.50	Sand, 10yr 4/1, Wet, Loose, Odor, Staining
28.5	29.25	Coarse Gravel, 10yr 6/3
29.25	30.0	Medium Sand, 10yr 6/3
30.0	35.0	Medium Sand, 10yr 6/3
35.0	37.15	Sand, 10yr 4/1, Wet, Loose, O
37.15	37.25	Clay
37.25	37.75	Sand
37.75	37.90	Clay
37.90	38.35	Sand
38.35	38.50	Clay
38.50	39.75	Sand, 10yr 4/11, Medium Grained, Wet
39.75	44.0	Sand, 10yr 6/4, Wet, loose, Medium Grained

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1475787

Litholgy

From	То	LithologicLog
44.0	46.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained, Trace Gravel, Medium to Coarse
46.0	48.5	Sand, 10yr 6/4, Medium Grained, Wet
48.5	49.5	Sand, 10yr 6/4, Medium to Coarse Gravel, Wet