


WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No. Well ID

1 LOCATION OF WATER WELL: Fraction 1/4 1/4 1/4 1/4 Section Number _____ Township Number T S Range Number R E W
County: _____

2 WELL OWNER: Last Name: _____ First: _____ Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Business: _____
Address: _____
Address: _____
City: _____ State: _____ ZIP: _____

3 LOCATE WELL WITH "X" IN SECTION BOX:
N
W  E
S
-----1 mile-----

4 DEPTH OF COMPLETED WELL: _____ ft.
Depth(s) Groundwater Encountered: 1) _____ ft.
2) _____ ft. 3) _____ ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: _____ ft.
 below land surface, measured on (mo-day-yr).....
 above land surface, measured on (mo-day-yr).....
Pump test data: Well water was _____ ft.
after..... hours pumping _____ gpm
Well water was _____ ft.
after..... hours pumping _____ gpm
Estimated Yield: _____ gpm
Bore Hole Diameter: _____ in. to _____ ft. and
_____ in. to _____ ft.

5 Latitude:(decimal degrees)
Longitude:(decimal degrees)
Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:
6 Elevation:ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 WELL WATER TO BE USED AS:
1. Domestic: Household Lawn & Garden Livestock
2. Irrigation
3. Feedlot
4. Industrial
5. Public Water Supply: well ID
6. Dewatering: how many wells?
7. Aquifer Recharge: well ID
8. Monitoring: well ID
9. Environmental Remediation: well ID
 Air Sparge Soil Vapor Extraction
 Recovery Injection
10. Oil Field Water Supply: lease
11. Test Hole: well ID
 Cased Uncased Geotechnical
12. Geothermal: how many bores?
a) Closed Loop Horizontal Vertical
b) Open Loop Surface Discharge Inj. of Water
13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
Nearest source of possible contamination: No potential source of contamination within 200 ft.
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)
Direction from well? Distance from well? ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
			Notes:		

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year)
under the business name of

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1476066

Litholgy

From	To	LithologicLog
0	.50	Silt w/Clay, 10yr 4/2, Debris
.50	3.50	Clay w/Gravel & Debris, 10yr 3/1 to 10yr 3/2, Damp
3.50	5.50	Clay, Some Silt, 10yr 4/2, Damp, Stiff, Low Plasticity
5.50	8.15	Clay, 10yr 6/2, Damp, Stiff, Plastic
8.15	10.15	Silt, 10yr 5/3, Damp, Soft
10.15	13.0	Sand w/Silt, 10yr 5/3, Damp
13.0	18.0	Silt, 10yr 5/3, Soft, Wet
18.0	21.0	Silt w/Clay, 10yr 6/3, Wet, Soft, Low Plasticity
21.0	23.85	Silt, 10yr 6/3, Wet, Soft
23.85	26.0	Sand, 10yr 6/3, Wet, Loose, Medium Grained, Trace Gravel
26.0	28.0	Sand, 10yr 6/3, Wet, Loose, Medium to Coarse Grained
28.0	30.0	Sand, 10yr 6/3, Wet, Loose, Medium to Coarse Grained w/ Gravel
30.0	32.0	Sand, 10yr 6/3, Wet, Loose, Medium to Coarse Grained
32.0	33.0	Sand, 10yr 6/4, Wet, Loose, Medium to Coarse Grained
33.0	34.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained
34.0	36.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1476066

Litholgy

From	To	LithologicLog
36.0	39.0	Sand, 10yr 6/4, Wet, Loose, Medium to Coarse Grained
39.0	40.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained, Trace Gravel
40.0	43.0	Sand, 10yr 6/4, Wet, Loose, Medium to Coarse Grained
43.0	45.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained, Trace Coarse Gravel
45.0	46.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained, Trace Coarse Gravel
46.0	47.0	Sand, 10yr 6/4, Wet, Loose, Medium Grained
47.0	49.0	Sand, 10yr 6/4, Wet, Loose, Medium to Coarse Grained