



Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1476092

Litholgy

From	To	LithologicLog
0	.75	Silt w/Clay, 10yr 4/2, Damp, Low Plasticity
.75	1.75	Clay w/Gravel, Brick Frag, Debris, Etc...
1.75	6.15	Clay, 10yr 5/2, Damp, Stiff, Low Plasticity
6.15	8.85	Silt, 10yr 6/3, Damp, Soft
8.85	14.0	Sand, 10yr 5/3, Very Fine Grained, Damp, Loose
14.0	15.5	Sand, 10yr 6/3, Moist, Loose, Fine Grained
15.5	20.0	Sand w/Silt, Very Fine Grained
20.0	24.0	Sand, Fine to Medium Grained, 10yr 5/3, Wet, Loose
24.0	26.0	Sand, 10yr 5/3, Medium to Coarse Grained, Wet, Loose
26.0	28.75	Sand, 10yr 5/3, Medium Grained, Wet, Loose
28.75	29.85	Sand w/Gravel, 10yr 4/11, Medium to Coarse, Wet, Odor, Staining
29.85	31.75	Clay, 10yr 5/3, Wet, Soft, Low Plasticity
31.75	34.5	Sand, 10yr 5/3, Wet, Loose, Fine to Medium Grained, Odor
34.5	35.5	Sand, 10yr 5/3, Wet, Loose, Medium to Coarse, Odor

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1476092

Litholgy

From	To	LithologicLog
35.5	38.0	Sand, 10yr, 6/2, Odor, Possible Staining, Medium Grained
38.0	39.0	Sand, 10yr 5/3, Wet, Loose, Medium to Coarse w/Gravels, Odor
39.0	40.0	Sand, 10yr 5/3, Wet, Loose, Medium to Coarse
40.0	41.0	Sand, 10yr 5/3, Wet, Loose, Medium Grained
41.0	42.0	Sand, 10yr 6/3, Wet, Loose, Medium Grained
42.0	47.75	Sand, 10yr 6/3, Wet, Loose, Medium Grained
47.75	48.50	Sand, 10yr 6/3, Wet, Loose, Gravels
48.5	49.0	Limestone, Lt Grey, Highly Weathered, Staining