

County: Geary Fraction: SW SE SW SE Sec. 1 T 12 S R 5 E

CORRECTION(S) TO WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: City of Junction City

If location corrected, was listed as:

Location changed to:

Section-Township-Range: 1-12S-5E

1-12S-5E

Fraction (1/4 calls): NE NE NW

SW SE SW SE

Other changes: Initial statements: No lat./long. given.

Changed to: Lat./long. approximately: 39.03028, -96.82150 (WGS84)
taken from KGS online WWC5 mapping tool.

Comments: section, township, range, and quarters assigned
by projecting regular Public Land Survey over the area.

Verification method: written description and KGS online WWC5
mapping tool & aerial photos.

Initials: ORL Date: 5/29/2019


Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Avenue, Lawrence, KS 66047-3724
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NW 1/4 Section Number 1 Township Number T 12 S Range Number R 5 E/W
 County: Geary

Distance and direction from nearest town or city street address of well if located within city?
8th & Perry Street, Junction City, KS.

WATER WELL OWNER: City of Junction City
 IR#, St. Address, Box #: P.O. Box 287 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Junction City, Ks. 66641 Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: DEPTH OF COMPLETED WELL: 30'6" ft. ELEVATION: _____ ft.



Depth(s) Groundwater Encountered: 24' ft. 2. _____ ft. 3. _____ ft.
 WELL'S STATIC WATER LEVEL: 24.20 ft. below land surface measured on mo/day/yr 3-20-95
 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
 Est. Yield _____ gpm; Well water was _____ ft. after _____ hours pumping _____ gpm
 Bore Hole Diameter: 8'6" in. to 30'6" ft., and _____ in. to _____ ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was sub-
 mitted _____ Water Well Disinfected? Yes _____ No X

TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____
 7 Fiberglass Threaded _____ X
 Blank casing diameter 2.375 in. to 15' ft., Dia _____ in. to _____ ft., Dia _____ in. to SDR 13 ft.
 Casing height above land surface Flush Mt in., weight _____ lbs./ft. Wall thickness or gauge No. SCH 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____
 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) _____

SCREEN-PERFORATED INTERVALS: From 30' ft. to 15' ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 30'6" ft. to 14' ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 14' ft. to 4' ft., From 4' ft. to 0' ft., From _____ ft. to _____ ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage Fouler 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 9 Insecticide storage
 Direction from well? South How many feet? 5'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Wood debris, leaves, roots, rotten wood, soft w/ ls.rx. gravel, wet.			
1	8.50	Dk gray to blk clay, roots, firm, no odor.			
8.50	13	tan brn clay, tight, claiche w/ small ls.rx. frag., firm, iron oxides.			
13	16.25	Olive green silty clay to clayey silt, mod. odor, firm.			
16.25	20.25	Green sandy silt to silty sand w/ drk gray stringers, dry to moist, mod. odor.			
20.25	22.25	Green gray sandy clay len, moist to wet, slight odor.			
22.25	30'6"	Tan sand, fine grained, faint odor, wet at 24'.			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-20-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 5-19-95
 Under the business name of JB Environmental Drilling by (signature) James Becker

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.