	. WATER WELL	RECORD Fo	orm WWC-5	KSA 82a-	1212	
1 LOCATION OF WATER WELL:	Fraction	- A 1 \	Secti	on Number	Township Number	
County: GEARY	1/4 NE	1/4 5W	1/4 05	SECTION	T /2 9	B R 0 6 EW
Distance and direction from nearest town		er filter.	within city?	11.1.	1 1	«aurenalos».
		· 99 can	~ 00	44.4990	n and Edge	e well-
2 WATER WELL OWNER: KINE	: CTV L					
RR#, St. Address, Box # Tope K.	a, KS 666	,Z0			Application Num	
B LOCATE WELL'S LOCATION WITH A	DEPTH OF COMPLET	ED WELL3	9.5	. ft. ELEVAT	ION:	
N I I I I I I I I I I I I I I I I I I I	VELL'S STATIC WATER	LEVEL 1.3.	.65. ft. be	low land surfa	ace measured on mo/d	. ft. 3
was as NV as as as NE as as						rs pumping gpm
						rs pumping gpm
W and the second	ore Hole Diameter . 7. ?	. <b>%</b> in. to		ft., aı	nd	in. toft,
× V	VELL WATER TO BE US	SED AS: 5	Public water	supply 8	Air conditioning	11 Injection well
Sw Se	1 Domestic 3		Oil field wate	• • •		12 Other (Specify below)
1						Sonitoring
V			mitted to Dep	partment? Yes	s 💥; I	f yes, mo/day/yr sample was sul
	nitted 5/13/88			Wate	er Well Disinfected? Ye	es No 🗶
5 TYPE OF BLANK CASING USED:		ight iron	8 Concret	e tile		Glued Clamped
1 Steel 3 RMP (SR)	6 Asbe	stos-Cement	9 Other (s	specify below)		Welded
(2 PV) 4 ABS	7 Fiber	glass				Threaded to the Joint
Blank casing diameter in	10 5.7.50 ft.	, Dia	in. to .		ft., Dia	in. to ft:
Casing height above land surface $1.9$		jht	and the second second	lbs./ft	. Wall thickness or gau	ige No
TYPE OF SCREEN OR PERFORATION	MATERIAL:		C7 PVO		10 Asbestos-	cement
1 Steel 3 Stainless s	teel 5 Fiber	glass	8 RMF	(SR)	11 Other (sp	ecify)
2 Brass 4 Galvanized		rete tile	9 ABS		12 None use	d (open hole)
SCREEN OR PERFORATION OPENING	eridings.	5 Gauzed	• •		8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill		6 Wire wr	• •		9 Drilled holes	
	punched 29 5	7 Torch cu	11 70 C	994-	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From	ft. to		ft., From		. ft. toft
OPANEL DACK INTERVALO.	From	ft. to	39 5	ft., From		. ft. to
GRAVEL PACK INTERVALS:	From From					
6 GROUT MATERIAL: 1 Neat cei	e de la companya del la companya de	et aradit	S Benton	ft., From		ft to ft
						ft. to
What is the nearest source of possible co		11011111111111		10 Livesto		14 Abandoned water well
1 Septic tank 4 Lateral		Pit privy			•	15 Oil well/Gas well
2 Sewer lines 5 Cess p		Sewage lagooi	<b>ገ</b>	12 Fertiliz	*	16 Other (specify below)
3 Watertight sewer lines 6 Seepac		Feedvard	•		cide storage Coint	aminated Pus wells
Direction from well?	,- ,- ,-	· · · · · · · · · · · · · · · · · · ·		How many		300' 500th
FROM TO	LITHOLOGIC LOG		FROM	то	PLUGGI	ING INTERVALS
0 5 Brown		Topsoil				
5 10 Brown	Class					
10 15 Reddis	L Brown Sil	ty Clay				
15 20 Reddist		ndy Clat				
20 29 Brown		my				
	Clay with fir	ie 'Sands				
31 34 Gray	Janes					
		inds				
40 41 Cobb	e and Chart	y Sand				
	794.h					
	7 17 TO TO THE ABOVE A STATE OF THE ABOVE A STATE O					THE RESERVE OF THE PARTY OF THE
7 CONTRACTOR'S OR LANDOWNER'S	S CERTIFICATION: This			ted, (2) recor	structed, or (3) plugge	
completed on (mo/day/year) 5./						
				and this record	d is true to the best of	
Water Well Contractor's License No	./.:37	This Water Well			d is true to the best of	ny knowledge and belief. Kansa
	./.:37				d is true to the best of mo/day/yr)	
Water Well Contractor's License No	12 A PRESS FIRMLY and	This Water Well	Record was	completed o by (signatu	d is true to the best of in (mo/day/yr)	343 340 Nyree copies to Kansas Department