


1 LOCATION OF WATER WELL: County: Geary Fraction: NW 1/4 SE 1/4 SE 1/4 Section Number: 8 Township Number: T 12 S Range Number: R 6 E  
 Distance and direction from nearest town or city street address of well if located within city?  
Grand View Plaza east of Junction City go almost 1 mile south (across country)  
 2 WATER WELL OWNER: Harold Strader  
 RR#, St. Address, Box #: RR 2, Box 8 Junction City Kansas 66441 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: RR 2, Box 8 Junction City Kansas 66441 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 115 ft. ELEVATION:  
 Depth(s) Groundwater Encountered: 1. 68' ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 65 ft. below land surface measured on mo/day/yr Apr. 18 - 1985  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield: 5 gpm; Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 10 in. to 15 ft. and 6 1/2 in. to 115 ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  5 Wrought iron  8 Concrete tile CASING JOINTS:  Glued  Clamped  
 2 PVC  4 ABS  6 Asbestos-Cement  9 Other (specify below)  Welded  
 Blank casing diameter: 5 in. to 5.5 ft. Dia. 5 in. to 11.5 ft. Screen 60 in. long  
 Blank height above land surface: 12 in., weight 100# test lbs./ft. Wall thickness or gauge No. 26 Wall  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  8 RMP (SR)  10 Asbestos-cement  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  11 Other (specify)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot  5 Gauzed wrapped  8 Saw cut  11 None (open hole)  
 2 Louvered shutter  4 Key punched  6 Wire wrapped  9 Drilled holes  
 7 Torch cut  10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 115 ft. to 55 ft. From ft. to ft.  
 GRAVEL PACK INTERVALS: From 115 ft. to 55 ft. From ft. to ft.

6 GROUT MATERIAL:  1 Neat cement  2 Cement grout  3 Bentonite  4 Other  
 Grout Intervals: From 15 ft. to 5 ft. From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? South West How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	topsoil			
2	7	clay yellow			
7	27	Rock Limestone			
27	30	Shale Blue			
30	46	Rock yellow limestone			
46	65	Shale, Blue			
65	68	Rock, Lime yellow soft			
68	82	Shale rock, Blue very hard			
82	88	Shale, red			
88	115	Shale Blue			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 18 - 1985 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 237 This Water Well Record was completed on (mo/day/yr) April 19 - 1985 under the business name of Strader Drilling Co by (signature) Harold Strader  
 INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.