

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment (Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Geary	Fraction NW1/4 NW1/4 NE1/4	Section number 19	Township number T 12 S R 6 E/W	Range number	
2. Distance and direction from nearest town or city: 2 miles South of Grandview Plaza Street address of well location if in city:			3. Owner of well: Fred Attwegg R.R. or street: RR 4 Box 1 City, state, zip code: Sumner City, Kan			
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map: <i>Wheat Field or OATS</i> <i>Lateral house</i> <i>Fence</i> <i>Shed</i> <i>Corral</i>			
5. Type and color of material			From	To	6. Bore hole dia. 7 1/2 in. Completion date 5-18-77 Well depth 185 ft.	
Topsoil - Blk			0	2	7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Clay - Brn			2	6	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Flint Gravel in Bow Clay			6	8	9. Casing: Material P16S Height: Above or below Threaded <input type="checkbox"/> Welded glw Surface 14 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight _____ lbs./ft. Dia. 5 in. to 50 ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth gage No. 1200	
Lime - Tan			8	18	10. Screen: Manufacturer's name Sunflower Type RMP Dia. 5" Slot/gauze 1/8 Length 135' Set between 50 ft. and 185 ft. _____ ft. and _____ ft. Gravel pack? NO Size range of material _____	
Shale & some broken lime - Yel			18	28	11. Static water level: _____ mo./day/yr. 91 ft. below land surface Date 5-18-77	
Shale - Gray			28	31	12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield ONE g.p.m.	
Lime with strips of Blue Flint			31	47	13. Water sample submitted: _____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Shale - Gray			47	50	14. Well head completion: _____ Pitless adapter 14 Inches above grade	
Lime - Gray			50	70	15. Well grouted? Yes With: _____ Neat cement _____ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 8 ft. to 21 ft.	
Shale - Gray			70	72	16. Nearest source of possible contamination: ft. 75' Direction NE Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Lime - Tan (Buff)			72	82	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Shale - Lite			82	83	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Zinn Water Well Drilling 218 Business name _____ License No. _____ Address Box 560 Lusk Springs, Kan Signed Joseph A. Zinn Date 5-24-77 Authorized representative	
Lime - Lite (Very Abrasive) 90-91 Crevice			83	106		
Shale - Lite Blue			106	110		
Lime - Gray			110	112		
Red Rock			112	124		
Lime - Gray			124	128		
Shale - Blue			128	141		
Lime - Gray			141	158		
Red Rock			158	165		
Lime - Iron Gray Some Gyp			165	175		
Shale - Gray			175	177		
Lime - DK Gray (ABRASIVE)			177	180		
Shale - Gray			180	181		
Lime - Gray			181	184		
Shale - Black			184	185		
(Use a second sheet if needed)						
18. Elevation: Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: Concrete slab 4'x4'x4" thick will be installed by customer x Fred Attwegg					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

12 - 16 m
12 - 16 m
1/4 1/4 1/4 1/4