


USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

T Location of well:	County Geary	Township name Jefferson	Fraction SW$\frac{1}{4}$ NE$\frac{1}{4}$	Section number 22	Town number T-12-S	Range number R 6 E
Distance and direction from nearest town or city: S E of Junction City			3 Owner of well: St. Paul Lutheran Church			
Street address of well location if in city:			Address: R.R. #4 Junction City, Kans.			
Locate with "X" in section below:		Sketch map:		4 Well depth: 80 ft. Date of completion 8/7/75 Well diameter 8 in.		
N  W E S 1 Mile		ACC		5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				6 Use: <input type="checkbox"/> Domestic <input checked="" type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well		
				7 Casing: Material PVC Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. Dig. Weight 200 lbs./ft. 5 in. to 80 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to ft. depth		
2	Type and color of material			From	To	8 Screen: Manufacturer Western Plastics Type PVC Dia. 5" Slot/gauze 3/32 Length 2 1/2" Set between 20 ft. and 80 ft. Fittings: 1/16 to 3/8 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material
	Clay			0	35	9 Static water level: 25 ft. below land surface Date
	Rock, gravel & blue			35	45	10 Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 15 g.p.m.
	Red shale & blue			45	51	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date
	Flint			51	52	12 Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade
	Very hard shale, black & gray			52	66	13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 20 ft.
	Blue & flint			66	81	14 Nearest source of possible contamination: none ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Rada Model number 36619 HP $\frac{1}{2}$ Volts 220 Length of drop pipe ft. capacity g.m.p. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(use a second sheet if needed)						
16 Remarks: elevation				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rader Drilling Co. 194 Business name License No. Address Carlton, Kans. 67429 Signed Brent E Rader Date 8-26-74 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						