			WA	TER WELL RECO	ORD Forr	m WWC-5	KSA 82	a-1212		
1 LOCAT	ION OF WAT	ER WELL:	Fraction				tion Number	Township	Number	Range Number
	GRAY			1/4 E E 1/4	NE	1/4	32	十二年。 人	2 (S)	R 6/EW
Distance a	and direction	from nearest tov	vn or city stree	et address of well				muluain		IN J.C. 60 4
Mill	Co 191 1	W:11	To DAVED	Roadto	, 10 11	115 80	att Bace	A THON	9-15 4	Go 2 miles South
0 111475	DIVELLOW	NED BLA	incr	Si Hing do	200 PV/1			7 / 11 / 1	11995	2 20 91.1
				11111111111	as sur		1-7	the second second	and the second second	man at a constant and a constant and a constant
RR#, St.	Address, Box	(# : RR#		x 2/A.	1100	111		8	- ' .	Division of Water Resource
City, State	e, ZIP Code	T. Cal	VIION	CHY	664	Y /		Applica	tion Number:	
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH O	F COMPLETED V	VELL / 6	60'	. ft. ELEV	ATION:		
☐ AN "X"	' IN SECTIO	N BOX:	Donth(s) Gro	undwater Engagn	orod 1	1201	#	9	ft 9	
_ r			Deptit(s) Gro	undwater Encount	eleu I	77	and the second second		in a market at an at the contract of the contr	
Ī	1 1									
	NW	NE		A						mping gpm
	, , , ,	841	Est. Yield	gpm: V	Vell water wa	as	ft.	after	hours pu	mping gpm
		X	Bore Hole Di	ameter 8	in. to . 🎤	60		and		. to
W -	1	E.		B TO BE USED			r supply			
=	i		1 Domes	The second secon			ter supply			Other (Specify below)
1	- SW			OF THE STATE OF TH			-, -, -,	7.		
	1	1	2 Irrigati			_		10 Observation	U	
			Was a chemi-	cal/bacteriological	sample subn	nitted to De	epartment? \	YesNo	; If yes	, mo/day/yr sample was sub
1	SALAR PROPERTY OF THE PROPERTY		mitted				W	ater Well Disinfe	ected? Yes	No No
5 TYPE	OF BLANK	ASING USED:		5 Wrought in	on	8 Concre	ete tile	CASING	JOINTS, Glue	Clamped
لسب		3 RMP (S	D)	6 Asbestos		Q Other	(specify belo		O THE OWNER OF THE OWNER OWNER OF THE OWNER OWNE	ed Crienies
1 Si	manifesta		ירו)							aded
(2 P		4 ABS	2	7 Fiberglass						
Blank cas	sing diameter		.in. to∷	7. 0 ft., Dia		in. to		ft., Dia		in. to ft.
Casing he	eight above la	and surface	2./	in., weight 🎜	ch 40.	, , ,	Ibs	./ft. Wall thickne	ss or gauge N	o
1		R PERFORATIO				7 PV	-04-		Asbestos-ceme	
1 S		3 Stainles		5 Fiberglass		The same of the sa	IP (SR)	11	Other (specify)	
						9 AB			None used (or	
1	rass	4 Galvani		6 Concrete			3		Notic used (of	
		RATION OPENIN		1000	5 Gauzed v			8 Saw cut		11 None (open hole)
1 C	ontinuous slo	ot 🔇 N	Aill slot	7,000	6 Wire wrap			9 Drilled hol		
2 L	ouvered shut	ter 4 K	ey punched	A washing	7 Torch cut	}		10 Other (spe	ecify)	
and an out-time of a	بلطا والمتاريق فيصفحنه فيتفاعلوا									
I SCREEN	-PERFORAT	ED INTERVALS:	From	140	. ft. to	60	ft., Ér	om	ft. 1	:o
SCREEN	-PERFORAT	ED INTERVALS:		140	ft. to	60	ft., Fr	om	. , , , , , , ft. †	ro
			From		. ft. to		ft., Fr	om	ft., f	toft
		ED INTERVALS: CK INTERVALS	From		. ft. to		ft., Fr	om		toft toft
	GRAVEL PA	CK INTERVALS	From From From	.25	ft. to ft. to	60	ft., Fr ft., Fr ft., Fr	om	ft. 1 ft. 1 ft. 1	toft toft to ft
	GRAVEL PA	CK INTERVALS	From From Erom	2 Cement gro	ft. to	6.0	ft., Fr	om		to
	GRAVEL PA	CK INTERVALS	From From Erom	2 Cement gro	ft. to	6.0	to. Exvi	om		toft toft to ft
6 GROU	GRAVEL PA IT MATERIAL ervals: Fro	CK INTERVALS .: 1 Neat	From From From cement .ft. to2	2 Cement gro	ft. to	6.0	to. Exvi	om		to
6 GROU Grout Inte	GRAVEL PA IT MATERIAL ervals: Fro the nearest so	CK INTERVALS .: 1 Neat m	From From From cement ft. to2	2 Cement gro 5 ft., Fro	ft. to	6.0	ft., Fr ft., Fr ft., Fr ft., Fr to. Evel 10 Live	om om om om 4 Other Van 449 From ostock pens	ft.	to
6 GROU Grout Inte What is th	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank	CK INTERVALS .: 1 Neat m Q purce of possible 4 Late	From From cement ft. to2 contamination	2 Cement gro 5 ft., Fro 1: Wowe C	ft. to	3 Bento	ft., Fr.	omomomomom	ft.	to ft
6 GROU Grout Inte What is th 1 S 2 S	GRAVEL PA IT MATERIAL ervals: Fro he nearest se eptic tank ewer lines	CK INTERVALS 1 Neat M	From From cement .ft. to	2 Cement gro 5 ft., Fro 1: Wow C 7 Pit 8 Sev	ft. to	3 Bento	to. Euril 10 Live	omomomom 4 Otherom stock pens I storage tilizer storage	ft.	to
6 GROU Grout Inte What is th 1 S 2 S	GRAVEL PA IT MATERIAL ervals: Fro he nearest se eptic tank ewer lines	CK INTERVALS .: 1 Neat m Q purce of possible 4 Late	From From cement .ft. to	2 Cement gro 5 ft., Fro 1: Wow C 7 Pit 8 Sev	ft. to	3 Bento	to. Euril 10 Live	omomomomom	ft.	to ft
6 GROU Grout Inte What is the 1 S 2 S 3 W	GRAVEL PA IT MATERIAL ervals: Fro he nearest se eptic tank ewer lines	CK INTERVALS 1 Neat M	From From cement .ft. to2 contamination ral lines s pool page pit	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	6.0 3 Bento ft.	to. Fronte 10 Live 12 Fertings How m	om	14 A 15 C	to ft. to
6 GROU Grout Inte What is the 1 S 2 S 3 W	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank sewer lines Vatertight sev	CK INTERVALS 1 Neat m	From From cement .ft. to	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Everi 10 Live 12 Ferd 13 Inse	omomomom	14 A 15 C	to ft. to
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank sewer lines Vatertight sev from well?	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM	GRAVEL PA OT MATERIAL ervals: Fro he nearest so eptic tank ewer lines Vatertight sev from well? TO	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	6.0 3 Bento ft.	to. Fronte 10 Live 12 Fertings How m	om	14 A 15 C	to ft. to
GROUGrout Inte	GRAVEL PA OT MATERIAL ervals: Fro he nearest so teptic tank fewer lines Vatertight sev from well? TO	CK INTERVALS 1 Neat M. O. Durce of possible 4 Late 5 Cess Ver lines 6 Seep Rock Chy	From From cement .ft. to2 contamination ral lines s pool page pit	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM	GRAVEL PA OT MATERIAL ervals: Fro he nearest so eptic tank ewer lines Vatertight sev from well?	CK INTERVALS 1 Neat 1 Neat 2 C Cest 2 Cest 3 Cest 4 Late 5 Cest 6 Seep 8 CM 8 CM 8 CM 8 CM 8 CM	From From cement .ft. to2 contamination ral lines s pool page pit LITHOLOG	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the second of the sec	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eeptic tank fewer lines Vatertight sev from well? TO TO TO TO TO TO TO TO TO T	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit LITHOLOG	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the second of the sec	GRAVEL PA	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit LITHOLOG	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the second of the sec	GRAVEL PA	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit LITHOLOG	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM	GRAVEL PA OT MATERIAL ervals: Fro he nearest so ieptic tank sewer lines Vatertight sev from well? TO S 4 4 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m	From From cement .ft. to2 contamination ral lines s pool page pit LITHOLOG	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the second of the sec	GRAVEL PA JT MATERIAL ervals: Fro he nearest so teptic tank fewer lines Vatertight sev from well? TO S JS JS JS JS JS JS JS JS JS	CK INTERVALS 1 Neat m	From From From From Cement	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the state of the stat	GRAVEL PA OT MATERIAL ervals: Fro he nearest so teptic tank fewer lines Vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m	From From From From Cement	2 Cement gro 5ft., Fro 7 Pit 8 Set 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the second of the sec	GRAVEL PA OT MATERIAL ervals: Fro he nearest so teptic tank flower lines Vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat 1 Neat 2 C C C C C C C C C C C C C C C C C C	From From From From Cement	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft. to
GROUGrout Inte What is the state of the stat	GRAVEL PA OT MATERIAL ervals: Fro he nearest so teptic tank fewer lines Vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m	From From From From Cement	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank ewer lines vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m. Q. Durce of possible 4 Late 5 Ces Ver lines 6 See Roch Roch Roch Roch Roch Roch Roch Roc	From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank ewer lines vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m. Q. Durce of possible 4 Late 5 Cess Ver lines 6 See Roch Roch Roch Roch Roch Roch Roch Roc	From From From From Cement	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank ewer lines vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m. Q. Durce of possible 4 Late 5 Cest Ver lines 6 Seel Rock Rock Rock Rock Rock Rock Rock Roc	From From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA JT MATERIAL ervals: Fro he nearest so deptic tank dewer lines Vatertight sev from well? TO S JS JS JS JS JS JS JS JS JS	CK INTERVALS 1 Neat m	From From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA JT MATERIAL ervals: Fro he nearest so deptic tank dewer lines Vatertight sev from well? TO S JS JS JS JS JS JS JS JS JS	CK INTERVALS 1 Neat m. Q. Durce of possible 4 Late 5 Cest Ver lines 6 Seel Rock Rock Rock Rock Rock Rock Rock Roc	From From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so eptic tank ewer lines vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat m	From From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 Sev 9 Fee	ft. to	3 Bento ft.	to. Fertilia Insertion TO	omomomom	14 A 15 C	to ft to ft to ft to ft ft ft ft ft well/Gas well Other (specify below)
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so teptic tank lewer lines Vatertight sev from well? TO 5 7 7 7 7 7 7 7 7 7 7 7 7	CK INTERVALS 1 Neat 1 Neat 2 C C C C C C C C C C C C C C C C C C	From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 See 9 Fee	ft. to	6.0 3 Bento ft.	to. Eurilia 10 Live 11 Fue 12 Feri 13 Inser How m	omomomomomomomomomomomomot	14 A 15 C 16 C	to ft. to
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so teptic tank from well? TO S 18 3 4 17 18 17 18 17 17 17 17 17 17	CK INTERVALS 1 Neat 1 Neat 2 C C C C C C C C C C C C C C C C C C	From From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 See 9 Fee	ft. to	6.0 ft.	to. Frontial to. F	om	14 A 15 C 16 C 16 C 17 C 17 C 18 C 18 C 18 C 18 C 18 C 18	der my jurisdiction and wa
GROUGrout Inte What is the state of the stat	GRAVEL PA IT MATERIAL ervals: Fro he nearest so ieptic tank lewer lines Vatertight sev from well? TO 3 4 4 8 7 1 7 6 7 7 7 5 7 7 7 5 7 7 7 5 7 7 7	CK INTERVALS 1 Neat m	From From From From	2 Cement gro 5 ft., Fro 7 Pit 8 See 9 Fee	ft. to	FROM 5.3	to. Fr., Fr. ft., Fr. ft	om	ft.	der my jurisdiction and waterwelde ge and belief. Kansa
6 GROUGrout Intervention of the second of th	GRAVEL PA JT MATERIAL ervals: Fro he nearest so leptic tank lewer lines vatertight sev from well? TO 3 4 4 8 7 1 7 6 8 7 7 7 7 5 7 7 7 5 7 7 7 7 7 8 7 7 7 7	CK INTERVALS 1 Neat m	From From From From Cement Int. to 2 Contamination ral lines Spool page pit LITHOLOG SPONTE LITHOLOG CONY CONY	2 Cement gro 5 ft., Fro 7 Pit 8 See 9 Fee	ft. to	FROM 5.3	to. Fronite to. Full full full full full full full full	om	ft.	der my jurisdiction and wa

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT of barly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.