WATER WELL RECORD		Form WWC	Division of Water Resources; App. No.					
		Fraction		Section Number		Township Number	Range Number	
County: GUIY		NV 1/4 NW 1/4 S	11:5			T /20	R 7 9W	
Distance and direction from nearest town or city greet address of well if located within city? From J. C. Go Edward Control of Address of Well if Latitude.								
VIXI) 307 Lag South and NUNOWILL MIT 12/X NOW VO. TRIKEN.								
2 WATER WELL OWNER: Fric STAB Elevation:								
RR#, St. Address, Box #	18395 BLA	Hay 18		Datum:				
City, State, ZIP Code : Man by Ttan, W. 1 5507 Data Collection Method:								
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
LOCATION :								
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1).25 ft. (2)								
SECTION BOX: WE								
Est. Yield. 12gpm: Well water wasft. after								
NW NE WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
Was a chemical/hasteriological sample submitted to Department? Ves								
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs Sample was submitted								
Sample was submitted								
5 TYPE OF CASING USED	: 5 Wrought I	ron 8 Conc	rete tile	<u> </u>	A SING	JOINTS: Glued	Clamped	
Steel 3 RMP (SR			r (specify		DILLO		Clampeu	
2 PVC 4 ABS _	7 Fiberglass			· · · · · · · · · · · · · · · · · · ·		Threaded		
Blank casing diameter	in. to , 4.0	ft., Diameter	.,i	n. to	ft., I	Diameter	in. toft.	
Casing height above land surfa	ce	in., Weight	4.0 1	bs./ft. Wa	all thick	ness or guage No		
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE								
SCREEN OR PERFORATION OPENINGS ARE 1 Continuous slot 3 Mill slot 2 Gazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From 4.0 ft. to 6.0 ft., From ft. to ft.								
From								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other								
Grout Intervals: From								
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)								
						below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Qil well/gas well								
Direction from well?	<i>7</i>				<u> 20.!</u>			
FROM TO	LITHOLOGIC	LOG	FROM	TO		PLUGGING INTE	ERVALS	
O TOP	Soll							
1 25 Bran	v chay	(5.		 				
23 4/ Lings	and W							
41 60 JAN 3	TILE					· · ·		
			1					
			ļ		\leq	`		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
and on the hydrogen many of 1/1/1 Add 1/1/1 Ad								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Gology Section, 1000 SW Jackson St., Suite 429, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain the for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								