LW443

		W	ATER WELL REC	ORD Form WWC-5	KSA 82a-	1212 ID No		000	•	
		ATER WELL:	Fraction		Sec	ction Number	Township Nur		Range N	lumber
County: <b>D</b>	VA BUYUN	SER	5W 1/4	SW 14 NR 1/4		20	T /2	S	R <b>7</b>	<i>ED</i> v_
				address of well if located v						
From	ALMA:	~ B.5 MS	curs wiest	AND 1.5 MEL	53 Soi	VFY				
			UT MELL							
	ddress, Box , ZIP Code		- 1, BOD7				•		ision of Water	Resources
	-		A KS. Colo	BSS	2	(; E) E) (AT	Application N			
				OMPLETED WELL	79	ft. ELEVATI	ON:			
AN "X" I	N SECTION N	BOX:		dwater Encountered 1		.,ft. :	2	ft. 3	120/03	ft.
	1	ı	Pur	D WATER LEVELpp test data: Well water	was T. Dei	ow land surface	measured on mo/d	ay/yr	moing —	ann
	1 1	1		gpm: Well water						
-	-NW	- NE	WELL WATER	TO BE USED AS: 5 P	ublic water s	supply	8 Air conditioning			0.
	- i - l	<b>w</b>    _	1 Domestic		il field water		9 Dewatering		ner (Specify be	
w −	1	<del>-  </del> E	2 Irrigation	4 Industrial 7 D	omestic (lav	wn & garden) 1	Monitoring well			•••••
	0141	1								
-	<b>*</b> V -	- SE		I/bacteriological sample s	ubmitted to					
		;	mitted			Wat	er Well Disinfected	? Yes	Г	No
	S									
		CASING USED:		5 Wrought iron	8 Concre		CASING JOIN			
1 Stee		3 RMP (S 4 ABS	H)	6 Asbestos-Cement 7 Fiberglass		(specify below)			d	
Blank casi	دے pa diameter		in to	63 ft., Dia			4. Di-	inread	ded	
Casing he	ight above is	and eurfana	フリ	in., weight		IN. TO	<del></del>	<del></del>		<b>7</b> /
		R PERFORATIO		in., weight	₹ PV					<del></del>
1 Ste		3 Stainles		5 Fiberglass		MP (SR)		stos-Ceme (Specify)	ητ 	
2 Bra		4 Galvania		6 Concrete tile	9 AB	S (OII)		used (ope		
SCREEN	OR PERFOR	RATION OPENII	NGS ARE:	5 Guaze	d wrapped		8 Saw cut		11 None (oper	n hole)
	tinuous slot		Aill slow	6 Wire w			9 Drilled holes			•
	vered shutte		(ey punched	7 Torch	cut		10 Other (specify)			ft.
SCREEN-	PERFORAT	ED INTERVALS	: From	2 <u>.3.</u> ft. to	3	ft., From		ft. to .:		ft.
			From	ft. to ft. to		ft., From		ft. to		ft.
	GRAVEL PA	CK INTERVALS	From .	ft. to	* 0.7	ft., From		ft. to		ft.
			1710111		······································	IL., FIOIII		11. 10		
6 GROU	JT MATERIA		t cement	2 Cement grout	3 Bent	tonite 4	Other			
Grout Inte	rvals: Fror	n3	ft. toZS	ft., From	ft. t	o	ft., From		ft. to	<del>.</del> ft.
What is the	e nearest so	urce of possible	contamination:			10 Livesto			andoned water	
1 Septic tank 4 Late			ral lines	7 Pit privy	11 Fuel stora		orage	ge 15 Oil well/Gas well		
2 Sewer lines 5 Cess			s pool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			oage pit	9 Feedyard	13 Insection	3 Insecticide storage WELLBE ISMADOWN				
Direction for	rom well?	SOUTH				How many	feet? ~ z5			
FROM	то		LITHOLOGIC	LOG	FROM	то	PLUG	GING INT	ERVALS	
O	3	LIMAS	TOWA , GK	TUAL						
_3_	12	SHALA	LIGHT							
12	B	LIMBS	JONE TA	N						
<u> 18</u>	28	SHHLA	GKAY							
28	30	LIMBS	powk 6	RAY						
30	33	SHALK,	GKAY							
_33_	35	LIMAS	ONB							
35 37	39	SHALA. A	Hown							
<u> 37 </u>	42	LIMAS	rowing H	. 0						
42	54	SHALA	GANY							
54	59	MUDSTON	V12							
59	27	SHITUE C	RH							
77	83	SUALK	REV BLO	wn						
	83	7000	AFINTE	,						
7 CONTR	ACTOR'S C	B LANDOWNE	R'S CERTIFICAT	ION: This water well was	Constri	icted (2) recon	structed or (3) plus	about bear	r my jurisdictio	on and was
		ear)					ord is true to the best			
		Licence No		This Water V				2/3	107	
	usiness nam	4.	EMEKA B.	William Andre De	ZOM		gnature)	211	1	_
INSTRUC	TIONS: Use type	ewriter or ball point pe	en. <u>PLEA</u> SE PRESS FII	RMLY and PRINT clearly. Please f	II in blanks. und	lerline or circle the co	rrect answers. Send ton to	hree copies to	Kansas Departme	nt of Health
and Enviro	nment, Bureau	of Water, Geology Se	ction, 1000 SW Jackso	n St., Suite 420, Topeka, Kansas						
records. F	ee or \$5.00 for e	ach constructed well.								