	VATER WELL:	Fraction			tion Number	Township N	Number	Range Number
ounty: Dick	inson	NE 1/4	SW 14 SW	1/4	/B	T  3	S	R /E BW
stance and directi	ion from nearest to	own or city street ac	ddress of well if located	within city?				
		St. Soloi	mon RS					
WATER WELL (	DWNER: Dale	Baker				Deand of	A mula like . um l	Division of Mater Bosses
	Box # : <b>ス</b> のみ	omon, Ks.	<b>4748</b> (7				n Number:	Division of Water Resource
LOCATE WELL'S	LOCATION WIT	HA DEPTH OF C	OMPLETED WELL	34	# FLEVA		1	
AN "X" IN SECT	ION BOX:	Depth(s) Ground	water Encountered 1.	29		)	ft. 3	<u>.</u> <u>.</u>
[		WELL'S STATIC	WATER LEVEL /	9 ft. b	elow land sur	face measured o	n mo/day/yr	7/1/83
	- I - NE I	Pump	test data: Well water	was	<b>D</b> ft. a	fter <b>/</b>	. hours pu	mping & O gpn
- '''	-   \	Est. Yield 5.	. Gpm: Well water	was	ft. a	fter	. hours pu	mping gpn
w				34	,ft.,	and	in	. to
		1		Public water		8 Air conditionin	•	Injection well
sw -	SE	1 Domestic			-			Other (Specify below)
1 7	!!!	2 Irrigation						
<u> </u>	<del>- ' - '</del>	mitted	bacteriological sample st	ibmitted to De		ter Well Disinfect	-	, mo/day/yr sample was su No
TYPE OF BLAN	K CASING USED:	<del></del>	5 Wrought iron	8 Concre				Clamped
1 Steel	3 RMP (		6 Asbestos-Cement		(specify below			ed
2 PVC	4 ABS		7 Fiberglass				Threa	aded
								in. to ft
			.in., weight		lbs./	ft. Wall thickness	or gauge N	o. 5PR.26
YPE OF SCREEN				7 <u>PV</u>			bestos-ceme	
1 Steel	3 Stainle		5 Fiberglass		IP (SR)			
2 Brass CREEN OR PERF		nized steel	6 Concrete tile	9 AB			ne used (op	•
1 Continuous		Mill slot		d wrapped rapped		8 Saw cut 9 Drilled holes		11 None (open hole)
2 Louvered sh		Key nunched	7 Torch	sut.		10 Other (energi	5.A	
CREEN-PERFORA		6: From <b>3</b>	/ ft. to	34	ft Fror	n	ft. te	o
		From	ft to	_	•			. 4
			. <u>.</u> <i></i>		ft., Fror	n	II. U	J
GRAVEL I	PACK INTERVALS	S: From	. <b>O</b> ft. to	34	ft., Fror	n	π.υ	o
. "		From	ft. to		ft., Fror	n	ft. t	o ft
GROUT MATERI	IAL: 1 Neat	From t cement	ft. to 2 Cement grout	3 Bento	ft., Fror	n Other	ft. to	o ft
GROUT MATERI	IAL: 1 <u>Neat</u>	From t cementft. to/.0	ft. to 2 Cement groutft., From	3 Bento	ft., From nite 4 to	n Other ft., From .	ft. to	ft. to
GROUT MATERI irout Intervals: F /hat is the nearest	IAL: 1 Neat	From t cementft. to/O le contamination:	ft. to 2 Cement grout ft., From	3 Bento	ft., From the fit. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	n Other	ft. to	the state of the s
GROUT MATERI frout Intervals: F That is the nearest 1 Septic tank	From	From t cement ft. to // O le contamination: / eral lines	ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bento	ft., From nite 4 to 10 Livest 11 Fuels	n Other ft., From . ock pens storage	ft. to	the state of the s
GROUT MATERI frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	From	From t cementft. to// le contamination: eral lines ss pool	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagoo	3 Bento	ft., Fron ft., F	n Other Other oth, From . ock pens storage zer storage	ft. to	the state of the s
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	IAL: 1 Neat from	From t cementft. to// le contamination: eral lines ss pool	ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bento	ft., Fron ft., F	n Other	ft. to	the state of the s
GROUT MATERI frout Intervals: F /hat is the nearest     1 Septic tank     2 Sewer lines     3 Watertight s irrection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento	ft., From the first firs	n Other	ft. to	o ft  ft. to
GROUT MATERI frout Intervals: F /hat is the nearest     1 Septic tank     2 Sewer lines     3 Watertight s frection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO 0 17	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F rhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO 0 17	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERI irout Intervals: F /hat is the nearest     1 Septic tank     2 Sewer lines     3 Watertight s //ricction from well? //ricction from yell?	From	From  t cement  ft. to // le contamination: eral lines ss pool epage pit  LITHOLOGIC I	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard	3 Bento ft.	ft., Fron ft., F	n Other	ft. to	o ft  ft. to
GROUT MATERIA GROUT Intervals: Five that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight subirection from well? FROM TO 177 177 29 29 34	IAL: 1 Neathern Neath	From  t cement  ft. to // O  le contamination: eral lines ss pool epage pit  LITHOLOGIC I  Clay, gray gray fine To C	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard  LOG  + Cq H	3 Bento ft.	ft., Fror nite 4 to	n Other	14 Al 15 O 16 O LITHOLOG	ther (specify below)
GROUT MATERIA GROUT Intervals: Five that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight subirection from well? FROM TO 77 77 29 34 34 CONTRACTOR'S	SOR LANDOWN	From  t cement  ft. to // O  le contamination: eral lines ss pool epage pit  LITHOLOGIC I  Clay, gray  Gray  Fine To C	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard  LOG  † Cq n  Coarse † Sa uq  ON: This water well was	3 Bento ft.  PROM  FROM  S (1) construction	ft., Fror nite 4 to	n Other	ft. to	o ft  ft. to
GROUT MATERIA GROUT Intervals: Fix out Intervals: F	SOR LANDOWNIay/year)	From  t cement  ft. to // O  le contamination: eral lines ss pool epage pit  LITHOLOGIC I  Clay, gray  Fine To C  ER'S CERTIFICATION  1 / 83	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard  LOG  † Cq 4	3 Bento ft.  PROM  FROM  (1) construction	ft., Fror nite 4 to	n Other	ft. to	o ft  ft. to
GROUT MATERIA Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 17 17 29 29 34  CONTRACTOR'S Completed on (mo/da/ Vater Well Contract	SOR LANDOWNI	From t cement  ft. to // O le contamination: eral lines ss pool epage pit  LITHOLOGIC I Clay, gray fine To C	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagod  9 Feedyard  LOG  + Cq H  CORSS + SQ HQ  ON: This water well was  This Water We	3 Bento ft.  FROM  FROM  (a) Construction  Il Record was	ft., Fron nite 4 to	n Other ft., From . ock pens storage zer storage icide storage by feet?  nstructed, or (3) d is true to the bean (mo/day/yr)	ft. to  14 Al  15 O  16 O  LITHOLOG  plugged und est of my kno  7./13	o ft  ft. to